

Industrial Castors




Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, central ball bearing, dark grey samll plastic thread guards



	-20 / +60°C		4 KM/H
	200 KG		183 MM

Swivel Castor



160



40



80x60



11X9



183



200

Order number

01P1S160D40DTEBA6212

Fixed Castor Nwith Front Lock



160



40



105X80



80x60



11X9



183



200


Order number

01P1F/FB160D40DTEBA6212

High Temperature Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with precision ball bearing
Wheel: black polyamide 6 wheel centre, high temperature rubber tyre, plain bore



-20 / +60°C
 4 KM/H
 80 KG
 130 MM

Swivel Castor




100	36	105x80	80x60	9	40	130	80	Order number
								04P1S100C36CHPPX4012

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings




-20 / +60°C
 4 KM/H
 180 - 230 KG
 128 - 155 MM

Swivel Castor



100	36	135x110	105x80	13.5x11	45	128	180	Order number
								06P1S100A36CEPDX4015
125	36	135x110	105x80	13.5x11	48	155	230	06P1S125A36CEPDX5015
125	36	135x110	105x80	13.5x11	48	155	230	06P1S/S125A36CEPDX5015

Fixed Castor



100	36	135x110	105x80	13.5x11	128	180	Order number
							06P1F100A36CEPDX4015
125	36	135x110	105x80	13.5x11	155	230	06P1F125A36CEPDX5015
125	36	135x110	105x80	13.5x11	155	230	06P1F/S125A36CEPDX5015

Swivel Castor With Total Lock



100	36	135x110	105x80	13.5x11	45	137	128	180	Order number
									06P1TB100A36CEPDX4015
125	36	135x110	105x80	13.5x11	48	137	155	230	06P1TB125A36CEPDX5015
125	36	135x110	105x80	13.5x11	48	137	155	230	06P1TB/S125A36CEPDX5015

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
 double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



Swivel Castor With Bolt Hole



							Order number
100	36	45	φ16	128	180	06H1S100A36CEPDX4015	
125	36	48	φ16	155	230	06H1S125A36CEPDX5015	
125	36	48	φ16	155	230	06H1S/S125A36CEPDX5015	

Swivel Castor With Bolt Hole And Total Lock



							Order number
100	36	45	φ16	137	128	180	06H1TB100A36CEPDX4015
125	36	48	φ16	137	155	230	06H1TB125A36CEPDX5015
125	36	48	φ16	137	155	230	06H1TB/S125A36CEPDX5015

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
 double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



Swivel Castor



							Order number	
100	40	135x110	105x80	13.5x11	45	128	200	06P1S100C40JEADX4015
125	40	135x110	105x80	13.5x11	48	155	250	06P1S125C40JEADX5015
125	40	135x110	105x80	13.5x11	48	155	250	06P1S/S125C40JEADX5015

Fixed Castor



							Order number
100	40	135x110	105x80	13.5x11	128	200	06P1F100C40JEADX4015
125	40	135x110	105x80	13.5x11	155	250	06P1F125C40JEADX5015
125	40		105x80	13.5x11	155	250	06P1F/S125C40JEADX5015

Swivel Castor With Total Lock




							Order number		
100	40	135x110	105x80	13.5x11	45	137	128	200	06P1TB100C40JEADX4015
125	40	135x110	105x80	13.5x11	48	137	155	250	06P1TB125C40JEADX5015
125	40	135x110	105x80	13.5x11	48	137	155	250	06P1TB/S125C40JEADX5015

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



Swivel Castor With Bolt Hole



							Order number
100	40	45	φ16	128	200	06H1S100C40JEADX4015	
125	40	48	φ16	155	250	06H1S125C40JEADX5015	
125	40	48	φ16	155	250	06H1S/S125C40JEADX5015	

Swivel Castor With Bolt Hole And Total Lock



								Order number
100	40	45	φ16	137	128	200	06H1TB100C40JEADX4015	
100	40	48	φ16	137	155	250	06H1TB125C40JEADX5015	
125	40	48	φ16	137	155	250	06H1TB/S125C40JEADX5015	

Swivel Castor With Directional Lock



							Order number		
100	36	135x110	105x80	13.5x11	45	171	128	200	06P1DB100C40JEADX4015

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor



							Order number	
100	38	135x110	105x80	13.5x11	45	128	250	06P1S100K38JUADX5015
125	38	135x110	105x80	13.5x11	48	155	300	06P1S125K38JUADX5015
125	38	135x110	105x80	13.5x11	48	155	300	06P1S/S125K38JUADX5015

Fixed Castor



							Order number
100	38	135x110	105x80	13.5x11	128	250	061F100K38JUADX5015
125	38	135x110	105x80	13.5x11	155	300	06P1F125K38JUADX5015
125	38	135x110	105x80	13.5x11	155	300	06P1F/S125K38JUADX5015

Swivel Castor With Total Lock



							Order number		
100	38	135x110	105x80	13.5x11	45	137	128	250	06P1TB100K38JUADX5015
125	38	135x110	105x80	13.5x11	48	137	155	300	06P1TB125K38JUADX5015
125	38	135x110	105x80	13.5x11	48	137	155	300	06P1TB/S125K38JUADX5015

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole



							Order number
100	38	45	φ16	128	250	06H1S100K38JUADX5015	
125	38	48	φ16	155	300	06H1S125K38JUADX5015	
125	38	48	φ16	155	300	06H1S/S125K38JUADX5015	

Swivel Castor With Bolt Hole And Total Lock



								Order number
100	38	45	φ16	137	128	250	06H1TB100K38JUADX5015	
100	38	48	φ16	137	155	300	06H1TB125K38JUADX5015	
125	38	48	φ16	137	155	300	06H1TB/S125K38JUADX5015	

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor



							Order number	
100	38	135x110	105x80	13.5x11	45	128	300	06P1S100K38CUIDX4515
125	38	135x110	105x80	13.5x11	48	155	350	06P1S125K38CUIDX4515
125	38	135x110	105x80	13.5x11	48	155	350	06P1S/S125K38JUADX4515

Fixed Castor



								Order number
100	38	135x110	105x80	13.5x11	128	300	06P1F100K38CUIDX4515	
125	38	135x110	105x80	13.5x11	155	350	06P1F125K38CUIDX4515	
125	38		105x80	13.5x11	155	350	06P1F/S125K38CUIDX4515	

Swivel Castor With Total Lock



								Order number	
100	38	135x110	105x80	13.5x11	45	137	128	300	06P1TB100K38CUIDX4515
125	38	135x110	105x80	13.5x11	48	137	155	350	06P1TB125K38CUIDX4515
125	38	135x110	105x80	13.5x11	48	137	155	350	06P1TB/S125K38CUIDX4515

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole



							Order number
100	38	45	φ16	128	300	06H1S100K38CUIDX4515	
125	38	48	φ16	155	350	06H1S125K38CUIDX4515	
125	38	48	φ16	155	350	06H1S/S125K38JUADX4515	

Swivel Castor With Bolt Hole And Total Lock



								Order number
100	38	45	φ16	137	128	300	06H1TB100K38CUIDX4515	
100	38	48	φ16	137	155	350	06H1TB125K38CUIDX4515	
125	38	48	φ16	137	155	350	06H1TB/S125K38CUIDX4515	

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



Swivel Castor



								Order number
100	40	135x110	105x80	13.5x11	45	128	270	06P1S100H40JUHADX4015
125	40	135x110	105x80	13.5x11	48	155	310	06P1S125H40JUHADX5015
125	40	135x110	105x80	13.5x11	48	155	310	06P1S/S125H40JUHADX5015

Fixed Castor



								Order number
100	40	135x110	105x80	13.5x11	128	270	06P1F100H40JUHADX4015	
125	40	135x110	105x80	13.5x11	155	310	06P1F125H40JUHADX5015	
125	40		105x80	13.5x11	155	310	06P1F/S125H40JUHADX5015	

Swivel Castor With Total Lock



									Order number
100	40	135x110	105x80	13.5x11	45	137	128	270	06P1TB100H40JUHADX4015
125	40	135x110	105x80	13.5x11	48	137	155	310	06P1TB125H40JUHADX5015
125	40	135x110	105x80	13.5x11	48	137	155	310	06P1TB/S125H40JUHADX5015

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



Swivel Castor With Bolt Hole



							Order number
100	40	45	φ16	128	270	06H1S100H40JUHADX4015	
125	40	48	φ16	155	310	06H1S125H40JUHADX5015	
125	40	48	φ16	155	310	06H1S/S125H40JUHADX5015	

Swivel Castor With Bolt Hole And Total Lock



							Order number
100	40	45	φ16	137	128	270	06H1TB100H40JUHADX4015
100	40	48	φ16	137	155	310	06H1TB125H40JUHADX5015
125	40	48	φ16	137	155	310	06H1TB/S125H40JUHADX5015

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: white injection polyamide, two ball bearings




Swivel Castor



							Order number	
100	38	135x110	105x80	13.5x11	45	128	350	06P1S100B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	155	350	06P1S125B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	155	500	06P1S/S125B38BPHDX5015

Fixed Castor



							Order number
100	38	135x110	105x80	13.5x11	128	350	06P1F100B38BPHDX5015
125	38	135x110	105x80	13.5x11	155	350	06P1F125B38BPHDX5015
125	38		105x80	13.5x11	155	500	06P1F/S125B38BPHDX5015

Swivel Castor With Total Lock



							Order number		
100	38	135x110	105x80	13.5x11	45	137	128	350	06P1TB100B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	137	155	350	06P1TB125B38BPHDX5015
125	38	135x110	105x80	13.5x11	48	137	155	500	06P1TB/S125B38BPHDX5015

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, two ball bearings



Swivel Castor With Bolt Hole

							Order number
	100	38	45	φ16	128	350	06H1S100B38BPHDX5015
	125	38	48	φ16	155	350	06H1S125B38BPHDX5015
	125	38	48	φ16	155	500	06H1S/S125B38BPHDX5015

Swivel Castor With Bolt Hole And Total Lock

								Order number
	100	38	45	φ16	137	128	350	06H1TB100B38BPHDX5015
	100	38	48	φ16	137	155	350	06H1TB125B38BPHDX5015
	125	38	48	φ16	137	155	500	06H1TB/S125B38BPHDX5015

Swivel Castor With Directional Lock

								Order number		
	100	38	135x110	105x80	13.5x11	45	171	128	350	06P1DB100B38BPHDX5015

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, roller bearing



Swivel Castor

							Order number		
	80	34	105x80	80x60	11x9	36	100	110	07P1S80B34BPPRX4012
	100	36	105x80	80x60	11x9	36	125	130	07P1S100B36BPPRX4012
	100	36	105x80	80x60	11x9	36	128	130	07P1S/S100B36BPPRX4012
	125	40	105x80	80x60	11x9	40	155	160	07P1S125B40BPPRX5015
	160	40	135x110	105x80	13.5x11	52	190	250	07P1S160B40BPPRX6020
	200	46	135x110	105x80	13.5x11	54	235	300	07P1S200B46BPPRX6020

Fixed Castor

								Order number
	80	34	102x87	80x60	11x9	100	110	07P1F80B34BPPRX4012
	100	36	102x87	80x60	11x9	125	130	07P1F100B36BPPRX4012
	100	36	102x87	80x60	11x9	128	130	07P1F/S100B36BPPRX4012
	125	40	102x87	80x60	11x9	155	160	07P1F125B40BPPRX5015
	160	40	135x114	105x80	13.5x11	190	250	07P1F160B40BPPRX6020
	200	46	135x114	105x80	13.5x11	235	300	07P1F200B46BPPRX6020


Swivel Castor With Total Lock

								Order number		
	80	34	105x80	80x60	11x9	36	129	100	110	07P1TB80B34BPPRX4012
	100	36	105x80	80x60	11x9	40	132	125	130	07P1TB100B36BPPRX4012
	100	36	105x80	80x60	11x9	40	132	128	130	07P1TB/S100B36BPPRX4012
	125	40	105x80	80x60	11x9	40	134	155	160	07P1TB125B40BPPRX5015
	160	40	135x110	105x80	13.5x11	60	203	190	250	07P1TB160B40BPPRX6020
	200	46	135x110	105x80	13.5x11	60	203	235	300	07P1TB200B46BPPRX6020

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, roller bearing



Swivel Castor With Bolt Hole



							Order number
80	34	36	φ10.5/φ13	99	110	07H1S80B34BPPRX4012	
100	36	36	φ10.5/φ13	124	130	07H1S100B36BPPRX4012	
100	36	36	φ10.5/φ13	124	130	07H1S/S100B36BPPRX4012	
125	40	36	φ10.5/φ13	154	160	07H1S125B36BPPRX5015	
160	40	52	φ16	185	250	07H1S160B40BPPRX6020	
200	46	54	φ16	230	300	07H1S200B46BPPRX6020	

Swivel Castor With Bolt Hole And Total Lock



							Order number
80	34	36	φ10.5/φ13	129	99	110	07H1TB80B34BPPRX4012
100	36	40	φ10.5/φ13	132	124	130	07H1TB100B36BPPRX4012
100	36	40	φ10.5/φ13	132	124	130	07H1TB/S100B36BPPRX4012
125	40	40	φ10.5/φ13	134	154	160	07H1TB125B36BPPRX5015
160	40	60	φ16	203	185	250	07H1TB160B40BPPRX6020
200	40	60	φ16	203	230	300	07H1TB200B46BPPRX6020

Swivel Castor With Front Lock



									Order number
160	40	135x110	105x80	13.5x11	52	154	190	250	07P1FB160B40BPPRX6020
200	46	135x110	105x80	13.5x11	54	154	235	300	07P1FB200B46BPPRX6020

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race
Wheel: white injection polyopylene, roller bearing



Swivel Castor With Directional Lock



									Order number
80	34	105x80	80x60	11x9	36	145	100	110	07P1DB80B34BPPRX4012
100	36	105x80	80x60	11x9	36	145	125	130	07P1DB100B36BPPRX4012
100	36	105x80	80x60	11x9	36	145	125	130	07P1DB/S100B36BPPRX4012

Swivel Castor With Directional Lock




								Order number
160	40	135x110	105x80	13.5x11	52	190	250	07P1DB160B40BPPRX6020
200	46	135x110	105x80	13.5x11	54	235	300	07P1DB200B46BPPRX6020

Swivel Castor With Central Lock



								Order number	
160	40	135x110	105x80	13.5x11	52	156	190	250	07P1CBB160B40BPPRX6020
200	46	135x110	105x80	13.5x11	54	156	235	300	07P1CBB200B46BPPRX6020

Fixed Castor With Front Lock




							Order number
160	40	135x114	105x80	13.5x11	195	250	07P1F/FB160B40BPPRX6020

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: white injection polyopylene, central ball bearing, blue samll plastic thread guards



-20 / +60°C
 4 KM/H
 110 - 160 KG
 100 - 155 MM

Swivel Castor



								Order number
80	34	105x80	80x60	11x9	36	100	110	07P1S80B34BPPBA428
100	36	105x80	80x60	11x9	36	125	130	07P1S100B36BPPBA428
100	36	105x80	80x60	11x9	36	128	130	07P1S/S100B36BPPBA428
125	40	105x80	80x60	11x9	40	155	160	07P1S125B40BPPBA5210

Fixed Castor



							Order number
80	34	102x87	80x60	11x9	100	110	07P1F80B34BPPBA428
100	36	102x87	80x60	11x9	125	130	07P1F100B36BPPBA428
100	36	102x87	80x60	11x9	128	130	07P1F/S100B36BPPBA428
125	40	102x87	80x60	11x9	155	160	07P1F125B40BPPBA5210

Swivel Castor With Total Lock




								Order number	
80	34	105x80	80x60	11x9	36	129	100	110	07P1TB80B34BPPBA428
100	36	105x80	80x60	11x9	40	132	125	130	07P1TB100B36BPPBA428
100	36	105x80	80x60	11x9	40	132	125	130	07P1TB/S100B36BPPBA428
125	40	105x80	80x60	11x9	40	134	155	160	07P1TB125B40BPPBA5210

White Injection Polyopylene Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: white injection polyopylene, central ball bearing, blue samll plastic thread guards



-20 / +60°C
 4 KM/H
 110 - 160 KG
 99 - 154 MM

Swivel Castor With Bolt Hole



						Order number
80	34	36	φ10.5/φ13	99	110	07H1S80B34BPPBA428
100	36	36	φ10.5/φ13	124	130	07H1S100B36BPPBA428
100	36	36	φ10.5/φ13	127	130	07H1S/S100B36BPPBA428
125	40	36	φ10.5/φ13	154	160	07H1S125B40BPPBA5210

Swivel Castor With Bolt Hole And Total Lock




						Order number	
80	34	36	φ10.5/φ13	129	99	110	07H1TB80B34BPPBA428
100	36	40	φ10.5/φ13	132	124	130	07H1TB100B36BPPBA428
100	36	40	φ10.5/φ13	132	127	130	07H1TB/S100B36BPPBA428
125	40	40	φ10.5/φ13	134	154	160	07H1TB125B40BPPBA5210

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C
 4 KM/H
 110 - 160 KG
 100 - 155 MM

Swivel Castor



									Order number
80	30	105x80	80x60	11x9	36	100	50	07P1S80B30BBPRX4012	
100	30	105x80	80x60	11x9	36	125	70	07P1S100B30BBPRX4012	
100	30	105x80	80x60	11x9	36	128	70	07P1S/S100B30BBPRX4012	
125	37.5	105x80	80x60	11x9	36	155	100	07P1S125B37.5BBPRX5015	
160	40	135x110	105x80	13.5x11	52	190	140	07P1S160B40BBPRX6020	
200	50	135x110	105x80	13.5x11	54	235	205	07P1S200B50BBPRX6020	
250	60	135x110	105x80	13.5x11	54	290	295	07P1S250B60BBPRX7520	

Fixed Castor



								Order number
80	30	102x87	80x60	11x9	100	50	07P1F80B34BBPRX4012	
100	30	102x87	80x60	11x9	125	70	07P1F100B30BBPRX4012	
100	30	102x87	80x60	11x9	128	70	07P1F/S100B30BBPRX4012	
125	37.5	102x87	80x60	11x9	155	100	07P1F125B37.5BBPRX5015	
160	40	135x114	105x80	13.5x11	190	140	07P1F160B40BBPRX6020	
200	50	135x114	105x80	13.5x11	235	205	07P1F200B50BBPRX6020	
250	60	135x114	105x80	13.5x11	290	295	07P1F250B60BBPRX7520	

Swivel Castor With Total Lock




									Order number
80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80B30BBPRX4012
100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100B30BBPRX4012
100	30	105x80	80x60	11x9	40	132	128	70	07P1TB/S100B30BBPRX4012
125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125B37.5BBPRX5015
160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160B40BBPRX6020
200	60	135x110	105x80	13.5x11	60	203	235	295	07P1TB200B60BBPRX7520

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C
 4 KM/H
 50 - 205 KG
 99 - 230 MM

Swivel Castor With Bolt Hole



							Order number
80	30	36	φ10.5/φ13	99	50	07H1S80B30BBPRX4012	
100	30	36	φ10.5/φ13	124	70	07H1S100B30BBPRX4012	
100	30	36	φ10.5/φ13	127	70	07H1S/S100B30BBPRX4012	
125	37.5	36	φ10.5/φ13	154	100	07H1S125B37.5BBPRX5015	
160	40	52	φ16	185	140	07H1S160B40BBPRX6020	
200	50	54	φ16	230	205	07H1S200B50BBPRX6020	

Swivel Castor With Bolt Hole And Total Lock




								Order number
80	30	36	φ10.5/φ13	129	99	50	07H1TB80B30BBPRX4012	
100	30	40	φ10.5/φ13	132	124	70	07H1TB100B30BBPRX4012	
100	30	40	φ10.5/φ13	132	127	70	07H1TB/S100B30BBPRX4012	
125	37.5	40	φ10.5/φ13	134	154	100	07H1TB125B37.5BBPRX5015	
160	40	60	φ16	203	185	140	07H1TB160B40BBPRX6020	
200	50	60	φ16	203	230	205	07H1TB200B50BBPRX6020	

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



	-20 / +60°C		4 KM/H
	140 - 295 KG		190 - 290 MM

Swivel Castor With Front Lock



									Order number
160	40	135x110	105x80	13.5x11	52	154	190	140	07P1FB160B40BBPRX6020
200	50	135x110	105x80	13.5x11	54	154	235	205	07P1FB200B50BBPRX6020
250	60	135x110	105x80	13.5x11	70	157	290	295	07P1FB250B60BBPRX7520

Swivel Castor With Directional Lock




								Order number
160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160B40BBPRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200B50BBPRX6020

Swivel Castor With Central Lock



								Order number	
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160B40BBPRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200B50BBPRX6020

Fixed Castor With Front Lock




							Order number
160	40	135x114	105x80	13.5x11	195	140	07P1F/FG/FB160B40BBPRX6020

Black Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



	-20 / +60°C		4 KM/H
	50 - 205 KG		100 - 235 MM

Swivel Castor



							Order number	
80	30	105x80	80x60	11x9	36	100	50	07P1S80C30JBMRX4012
100	30	105x80	80x60	11x9	36	125	70	07P1S100C30JBMRX4012
100	30	105x80	80x60	11x9	36	128	70	07P1S/S100C30JBMRX4012
125	37.5	105x80	80x60	11x9	36	155	100	07P1S125C37.5JBMRX5015
160	40	135x110	105x80	13.5x11	52	190	140	07P1S160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1S200C50JBMRX6020

Fixed Castor



							Order number
80	30	102x87	80x60	11x9	100	50	07P1F80C30JBMRX4012
100	30	102x87	80x60	11x9	125	70	07P1F100C30JBMRX4012
100	30	102x87	80x60	11x9	128	70	07P1F/S100C30JBMRX4012
125	37.5	102x87	80x60	11x9	155	100	07P1F125C37.5JBMRX5015
160	40	135x114	105x80	13.5x11	190	140	07P1F160C40JBMRX6020
200	50	135x114	105x80	13.5x11	235	205	07P1F200C50JBMRX6020

Swivel Castor With Total Lock



								Order number	
80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80C30JBMRX4012
100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100C30JBMRX4012
100	30	105x80	80x60	11x9	40	132	128	70	07P1TB100C30JBMRX4012
125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125C37.5JBMRX5015
160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	60	203	235	205	07P1TB200C50JBMRX6020

Black Solid Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



Swivel Castor With Bolt Hole



							Order number
80	30	36	φ10.5/φ13	99	50	07H1S80C30JBMRX4012	
100	30	36	φ10.5/φ13	124	70	07H1S100C30JBMRX4012	
100	30	36	φ10.5/φ13	127	70	07H1S/S100C30JBMRX4012	
125	37.5	36	φ10.5/φ13	154	100	07H1S125C37.5JBMRX5015	
160	40	52	φ16	185	140	07H1S160C40JBMRX6020	
200	50	54	φ16	230	205	07H1S200C50JBNRX6020	

Swivel Castor With Bolt Hole And Total Lock



							Order number
80	30	36	φ10.5/φ13	129	99	50	07H1TB80C30JBMRX4012
100	30	40	φ10.5/φ13	132	124	70	07H1TB100C30JBMRX4012
100	30	40	φ10.5/φ13	132	127	70	07H1TB/S100C30JBMRX4012
125	37.5	40	φ10.5/φ13	134	154	100	07H1TB125C37.5JBMRX5015
160	40	60	φ16	203	185	140	07H1TB160C40JBMRX6020
200	50	60	φ16	203	230	205	07H1TB200C50JBNRX6020

Black Solid Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: black shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



Swivel Castor With Front Lock



							Order number	
160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200C50JBNRX6020

Swivel Castor With Directional Lock




							Order number	
160	40	135x110	105x80	13.5x11	52	190	140	07P1FB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1FB200C50JBNRX6020

Swivel Castor With Central Lock



							Order number		
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160C40JBMRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200C50JBNRX6020

Fixed Castor With Front Lock




							Order number
160	40	135x114	105x80	13.5x11	195	140	07P1F/FB160C40JBMRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C
 4 KM/H
 50 - 295 KG
 100 - 290 MM

Swivel Castor



									Order number
80	30	105x80	80x60	11x9	36	100	50	07P1S80D30CGPRX4012	
100	30	105x80	80x60	11x9	36	125	70	07P1S100D30CGPRX4012	
100	30	105x80	80x60	11x9	36	128	70	07PS/S100D30CGPRX4012	
125	37.5	105x80	80x60	11x9	36	155	100	07P1S125D37.5CGPRX5015	
160	40	135x110	105x80	13.5x11	52	190	140	07P1S160D40CGPRX6020	
200	50	135x110	105x80	13.5x11	54	235	205	07P1S200D50CGPRX6020	
250	60	135x110	105x80	13.5x11	54	290	295	07P1S250D60CGPRX7520	

Fixed Castor



								Order number
80	30	102x87	80x60	11x9	100	50	07P1F80D30CGPRX4012	
100	30	102x87	80x60	11x9	125	70	07P1F100D30CGPRX4012	
100	30	102x87	80x60	11x9	128	70	07P1F/S100D30CGPRX4012	
125	37.5	102x87	80x60	11x9	155	100	07P1F125D37.5CGPRX5015	
160	40	135x114	105x80	13.5x11	190	140	07P1F160D40CGPRX6020	
200	50	135x114	105x80	13.5x11	235	205	07P1F200D50CGPRX6020	
250	60	135x114	105x80	13.5x11	290	295	07P1F250D60GPRX7520	

Swivel Castor With Total Lock




									Order number
80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80D30CGPRX4012
100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100D30CGPRX4012
100	30	105x80	80x60	11x9	40	132	128	70	07P1TB/S100D30CGPRX4012
125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125D37.5CGPRX5015
160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160D40CGPRX6020
200	50	135x110	105x80	13.5x11	60	203	235	205	07P1TB200D50CGPRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



-20 / +60°C
 4 KM/H
 50 - 205 KG
 99 - 230 MM

Swivel Castor With Bolt Hole



							Order number
80	30	36	φ10.5/φ13	99	50	07H1S80D30CGPRX4012	
100	30	36	φ10.5/φ13	124	70	07H1S100D30CGPRX4012	
100	30	36	φ10.5/φ13	127	70	07HS/S100D30CGPRX4012	
125	37.5	36	φ10.5/φ13	154	100	07H1S125D37.5CGPRX5015	
160	40	52	φ16	185	140	07H1S160D40CGPRX6020	
200	50	54	φ16	230	205	07H1S200D50CGPRX6020	

Swivel Castor With Bolt Hole And Total Lock




								Order number
80	30	36	φ10.5/φ13	129	99	50	07H1TB80D30CGPRX4012	
100	30	40	φ10.5/φ13	132	124	70	07H1TB100D30CGPRX4012	
100	30	40	φ10.5/φ13	132	127	70	07H1TB/S100D30CGPRX4012	
125	37.5	40	φ10.5/φ13	134	154	100	07H1TB125D37.5CGPRX5015	
160	40	60	φ16	203	185	140	07H1TB160D40CGPRX6020	
200	50	60	φ16	203	230	205	07H1TB200D50CGPRX6020	

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey shore a 85+/-3 solid rubber tread, black polypropylene wheel centre roller bearing



Swivel Castor With Front Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160D40CGPRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200D50CGPRX6020

Swivel Castor With Directional Lock




								Order number
160	40	135x110	105x80	13.5x11	52	190	140	07P1FB160D40CGPRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1FB200D50CGPRX6020

Swivel Castor With Central Lock



								Order number	
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160D40CGPRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200D50CGPRX6020

Fixed Castor With Front Lock




							Order number
160	40	135x114	105x80	13.5x11	195	140	07P1F/FB160D40CGPRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



Swivel Castor



								Order number
80	30	105x80	80x60	11x9	36	100	50	07P1S80D30JGMRX4012
100	30	105x80	80x60	11x9	36	125	70	07P1S100D30JGMRX4012
100	30	105x80	80x60	11x9	36	128	70	07P1S/S100D30JGMRX4012
125	37.5	105x80	80x60	11x9	36	155	100	07P1S125D37.5JGMRX5015
160	40	135x110	105x80	13.5x11	52	190	140	07P1S160D40JGMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1S200D50JGMRX6020

Fixed Castor



								Order number
80	30	102x87	80x60	11x9	100	50	07P1F80D30JGMRX4012	
100	30	102x87	80x60	11x9	125	70	07P1F100D30JGMRX4012	
100	30	102x87	80x60	11x9	128	70	07P1F/S100D30JGMRX4012	
125	37.5	102x87	80x60	11x9	155	100	07P1F125D37.5JGMRX6020	
160	40	135x114	105x80	13.5x11	190	140	07P1F160D40JGMRX6020	
200	50	135x114	105x80	13.5x11	235	205	07P1F200D50JGMRX6020	

Swivel Castor With Total Lock




								Order number	
80	30	105x80	80x60	11x9	36	129	100	50	07P1TB80D30JGMRX4012
100	30	105x80	80x60	11x9	40	132	125	70	07P1TB100D30JGMRX4012
100	30	105x80	80x60	11x9	40	132	128	70	07P1TB/S100D30JGMRX4012
125	37.5	105x80	80x60	11x9	40	134	155	100	07P1TB125D37.5JGMRX5015
160	40	135x110	105x80	13.5x11	60	203	190	140	07P1TB160D40JGMRX6020
200	50	135x110	105x80	13.5x11	60	203	235	205	07P1TB200D50JGMRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



-20 / +60°C
 4 KM/H
 50 - 205 KG
 99 - 230 MM

Swivel Castor With Bolt Hole



							Order number
80	30	36	φ10.5/φ13	99	50	07H1S80D30JGMRX4012	
100	30	36	φ10.5/φ13	124	70	07H1S100D30JGMRX4012	
100	30	36	φ10.5/φ13	127	70	07HS/S100D30JGMRX4012	
125	37.5	36	φ10.5/φ13	154	100	07H1S125D37.5JGMRX5015	
160	40	52	φ16	185	140	07H1S160D40JGMRX6020	
200	50	54	φ16	230	205	07H1S200D50JGMRX6020	

Swivel Castor With Bolt Hole And Total Lock




							Order number
80	30	36	φ10.5/φ13	129	99	50	07H1TB80D30JGMRX4012
100	30	40	φ10.5/φ13	132	124	70	07H1TB100D30JGMRX4012
100	30	40	φ10.5/φ13	132	127	70	07H1TB/S100D30JGMRX4012
125	37.5	40	φ10.5/φ13	134	154	100	07H1TB125D37.5JGMRX5015
160	40	60	φ16	203	185	140	07H1TB160D40JGMRX6020
200	50	60	φ16	203	230	205	07H1TB200D50JGMRX6020

Grey Solid Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey 85+/-3 solid rubber tread, pressed steel wheel centre roller bearing



-20 / +60°C
 4 KM/H
 140 - 205 KG
 190 - 235 MM

Swivel Castor With Ffront Lock



							Order number	
160	40	135x110	105x80	13.5x11	52	190	140	07P1DB160D40JGMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1DB200D50JGMRX6020

Swivel Castor With Directional Lock



							Order number	
160	40	135x110	105x80	13.5x11	52	190	140	07P1FB160D40JGMRX6020
200	50	135x110	105x80	13.5x11	54	235	205	07P1FB200D50JGMRX6020

Swivel Castor With Central Lock



							Order number		
160	40	135x110	105x80	13.5x11	52	156	190	140	07P1CB160D40JGMRX6020
200	50	135x110	105x80	13.5x11	54	156	235	205	07P1CB200D50JGMRX6020

Fixed Castor With Front Lock




							Order number
160	40	135x114	105x80	13.5x11	195	140	07P1F/FB200D50JGMRX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85 thermoplastic rubber tread, roller bearing



-20 / +60°C
 4 KM/H
 100 - 220 KG
 100 - 235 MM

Swivel Castor



								Order number
80	38	105x80	80x60	11x9	36	100	100	07P1S80D38DTERX4012
100	32	105x80	80x60	11x9	36	125	100	07P1S100D32DTERX4012
100	32	105x80	80x60	11x9	36	128	100	07P1S/S100D32DTERX4012
125	32	105x80	80x60	11x9	36	155	150	07P1S125D32DTERX5015
160	40	135x110	105x80	13.5x11	52	190	200	07P1S160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	235	220	07P1S200D40DTERX6020

Fixed Castor



							Order number
80	38	102x87	80x60	11x9	100	100	07P1F80D38DTERX4012
100	32	102x87	80x60	11x9	125	125	07P1F100D32DTERX4012
100	32	102x87	80x60	11x9	128	128	07P1F/S100D32DTERX4012
125	32	102x87	80x60	11x9	155	150	07P1F125D32DTERX5015
160	40	135x114	105x80	13.5x11	190	200	07P1F160D40DTERX6020
200	40	135x114	105x80	13.5x11	235	220	07P1F200D40DTERX6020

Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	36	129	100	100	07P1TB38D38DTPRX4012
100	32	105x80	80x60	11x9	40	132	125	100	07P1TB100D32DTPRX4012
100	32	105x80	80x60	11x9	40	132	128	100	07P1TB/S100D32DTPRX4012
125	32	105x80	80x60	11x9	40	134	155	150	07P1TB125D32DTERX5015
160	40	135x110	105x80	13.5x11	60	203	190	200	07P1TB160D40DTERX6020
200	40	135x110	105x80	13.5x11	60	203	235	220	07P1TB200D40DTERX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85 thermoplastic rubber tread, roller bearing



-20 / +60°C
 4 KM/H
 100 - 220 KG
 99 - 230 MM

Swivel Castor With Bolt Hole



							Order number
80	38	36	φ10.5/φ13	99	100	100	07H1S80D38DTERX4012
100	32	36	φ10.5/φ13	124	100	100	07H1S100D32DTERX4012
100	32	36	φ10.5/φ13	127	100	100	07H1S/S100D32DTERX4012
125	32	36	φ10.5/φ13	154	150	150	07H1S125D32DTERX5015
160	40	52	φ16	185	200	200	07H1S160D40DTERX6020
200	40	54	φ16	230	220	220	07H1S200D40DTERX6020

Swivel Castor With Bolt Hole And Total Lock




								Order number
80	38	36	φ10.5/φ13	129	99	100	100	07H1TB38D38DTERX4012
100	32	40	φ10.5/φ13	132	124	100	100	07H1TB100D32DTERX4012
100	32	40	φ10.5/φ13	132	127	100	100	07H1TB/S100D32DTERX4012
125	32	40	φ10.5/φ13	134	154	150	150	07H1TB125D32DTERX5015
160	40	60	φ16	203	185	200	200	07H1TB160D40DTERX6020
200	40	60	φ16	203	230	220	220	07H1TB200D40DTERX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85ththermoplastic rubber tread, roller bearing



	-20 / +60°C		4 KM/H
	200 - 220 KG		190 - 235 MM

Swivel Castor With Directional Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	200	07P1DB160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	235	220	07P1DB200D40DTERX6020

Swivel Castor With Central Lock



								Order number
160	40	135x110	105x80	13.5x11	52	190	200	07P1CB160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	235	220	07P1CB200D40DTERX6020

Fixed Castor With Front Lock



						Order number	
160	40	135x114	105x80	13.5x11	195	200	07P1/FB/FG160D40DTERX6020

Swivel Castor With Front Lock




								Order number	
160	40	135x110	105x80	13.5x11	52	154	190	200	07P1FB160D40DTERX6020
200	40	135x110	105x80	13.5x11	54	154	235	220	07P1FB200D40DTERX6020

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85ththermoplastic rubber tread, central ball bearing, dark grey samll plastic thread guards




	-20 / +60°C		4 KM/H
	100 - 220 KG		125 - 235 MM

Swivel Castor



								Order number
100	32	105x80	80x60	11x9	36	125	100	07P1S100D32DTEBA428
100	32	105x80	80x60	11x9	36	128	100	07P1S/S100D32DTEBA428
125	32	105x80	80x60	11x9	36	155	150	07P1S125D32DTEBA5210
160	40	135x110	105x80	13.5x11	52	190	200	07P1S160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	235	220	07P1S200D40DTEBA6212

Fixed Castor



						Order number	
100	32	102x87	80x60	11x9	125	100	07P1F100D32DTEBA428
100	32	102x87	80x60	11x9	128	100	07P1F/S100D32DTEBA428
125	32	102x87	80x60	11x9	155	150	07P1F125D32DTEBA5210
160	40	135x114	105x80	13.5x11	190	200	07P1F160D40DTEBA6212
200	40	135x114	105x80	13.5x11	235	220	07P1F200D40DTEBA6212

Swivel Castor With Total Lock




								Order number	
100	32	105x80	80x60	11x9	40	132	125	100	07P1TB100D32DTEBA428
100	32	105x80	80x60	11x9	40	132	128	100	07P1TB/S100D32DTEBA428
125	32	105x80	80x60	11x9	40	134	155	150	07P1TB125D32DTEBA5210
160	40	135x110	105x80	13.5x11	60	203	190	200	07P1TB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	60	203	235	220	07P1TB200D40DTEBA6212

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, central ball bearing, dark grey samll plastic thread guards



Swivel Castor With Bolt Hole

							Order number
100	32	36	φ10.5/φ13	124	100	07H1S100D32DTEBA428	
100	32	36	φ10.5/φ13	127	100	07H1S/S100D32DTEBA428	
125	32	36	φ10.5/φ13	154	150	07H1S125D32DTEBA5210	
160	40	52	φ16	185	200	07H1S160D40DTEBA6212	
200	40	54	φ16	230	220	07H1S200D40DTEBA6212	

Swivel Castor With Bolt Hole And Total Lock


							Order number
100	32	40	φ10.5/φ13	132	124	100	07H1TB100D32DTEBA428
100	32	40	φ10.5/φ13	132	127	100	07H1TB/S100D32DTEBA428
125	32	40	φ10.5/φ13	134	154	150	07H1TB125D32DTEBA5210
160	40	60	φ16	203	185	200	07H1TB160D40DTEBA6212
200	40	60	φ16	203	230	220	07H1TB200D40DTEBA6212

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, central ball bearing, dark grey samll plastic thread guards



Swivel Castor With Directional Lock

								Order number
160	40	135x110	105x80	13.5x11	52	190	200	07P1DB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	235	220	07P1DB200D40DTEBA6212

Swivel Castor With Central Lock

									Order number
160	40	135x110	105x80	13.5x11	52	190	190	200	07P1PCB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	235	235	220	07P1PCB200D40DTEBA6212

Fixed Castor With Front Lock

								Order number
160	40	135x114	105x80	13.5x11	195	200	200	07P1FB160D40DTEBA6212

Swivel Castor With Front Lock


									Order number
160	40	135x110	105x80	13.5x11	52	154	190	200	07P1FB160D40DTEBA6212
200	40	135x110	105x80	13.5x11	54	154	235	220	07P1FB200D40DTEBA6212

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 65ththermoplastic rubber tread, roller bearing



-20 / +60°C
 4 KM/H
 100 - 120 KG
 100 - 128 MM

Swivel Castor



								Order number
80	32	105x80	80x60	11x9	36	100	100	07P1S80D32DTRRX4012
100	32	105x80	80x60	11x9	36	125	120	07P1S100D32DTRRX4012
100	32	105x80	80x60	11x9	36	128	120	07P1S/S100D32DTRRX4012

Fixed Castor



							Order number
80	32	102x87	80x60	11x9	100	100	07P1F80D32DTRRX4012
100	32	102x87	80x60	11x9	125	120	07P1F100D32DTRRX4012
100	32	102x87	80x60	11x9	128	120	07P1F/S100D32DTRRX4012

Swivel Castor With Total Lock




								Order number
80	32	105x80	80x60	11x9	36	129	100	07P1TB80D32DTRRX4012
100	32	105x80	80x60	11x9	40	132	120	07P1TB100D32DTRRX4012
100	32	105x80	80x60	11x9	40	132	120	07P1TB/S100D32DTRRX4012

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 65ththermoplastic rubber tread, roller bearing



-20 / +60°C
 4 KM/H
 100 - 120 KG
 99 - 127 MM

Swivel Castor With Bolt Hole



						Order number
80	32	36	φ10.5/φ13	99	100	07H1S80D32DTRRX4012
100	32	36	φ10.5/φ13	124	120	07H1S100D32DTRRX4012
100	32	36	φ10.5/φ13	127	120	07H1S/S100D32DTRRX4012

Swivel Castor With Bolt Hole And Total Lock



							Order number
80	32	36	φ10.5/φ13	129	99	100	07H1TB80D32DTRRX4012
100	32	40	φ10.5/φ13	132	124	120	07H1TB100D32DTRRX4012
100	32	40	φ10.5/φ13	132	127	120	07H1TB/S100D32DTRRX4012

Swivel Castor With Directional Lock




								Order number
80	32	105x80	80x60	11x9	36	145	100	07P1DB80D32DTRRX4012
100	32	105x80	80x60	11x9	36	145	120	07P1DB100D32DTRRX4012
100	32	105x80	80x60	11x9	36	145	120	07P1DB/S100D32DTRRX4012

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, centre ball bearing, grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 100 - 120 KG
 100 - 128 MM

Swivel Castor



								Order number
80	32	105x80	80x60	11x9	36	100	100	07P1S80D32DTRBA428
100	32	105x80	80x60	11x9	36	125	120	07P1S100D32DTRBA428
100	32	105x80	80x60	11x9	36	128	120	07P1S/S100D32DTRBA428

Fixed Castor



							Order number
80	32	102x87	80x60	11x9	100	100	07P1F80D32DTRBA428
100	32	102x87	80x60	11x9	125	120	07P1F100D32DTRBA428
100	32	102x87	80x60	11x9	128	120	07P1F/S100D32DTRBA428

Swivel Castor With Total Lock




								Order number
80	32	105x80	80x60	11x9	36	129	100	07P1TB80D32DTRBA428
100	32	105x80	80x60	11x9	40	132	120	07P1TB100D32DTRBA428
100	32	105x80	80x60	11x9	40	132	128	07P1TB/S100D32DTRBA428

Grey Thermoplastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, centre ball bearing, grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 100 - 120 KG
 99 - 127 MM

Swivel Castor With Bolt Hole



						Order number
80	32	36	φ10.5/φ13	99	100	07H1S80D32DTRBA4208
100	32	36	φ10.5/φ13	124	120	07H1S100D32DTRBA4208
100	32	36	φ10.5/φ13	127	120	07H1S/S100D32DTRBA4208

Swivel Castor With Bolt Hole And Total Lock




							Order number
80	32	36	φ10.5/φ13	129	99	100	07H1TB80D32DTRBA4208
100	32	40	φ10.5/φ13	132	124	120	07H1TB100D32DTRBA4208
100	32	40	φ10.5/φ13	132	127	120	07H1TB/S100D32DTRBA4208

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85" thermoplastic rubber wheel centre, roller bearing, samll metal thread guards



-20 / +60°C
 4 KM/H
 135 - 160 KG
 125 - 155 MM

Swivel Castor



								Order number
100	36	105x80	80x60	11x9	36	125	135	07P1S100D36DRERX4012
100	36	105x80	80x60	11x9	36	128	135	07P1S/S100D36DRERX4012
125	36	105x80	80x60	11x9	40	155	160	07P1S125D36DRERX5015

Fixed Castor



							Order number
100	36	102x87	80x60	11x9	125	135	07P1F1100D36DRERX4012
100	36	102x87	80x60	11x9	128	135	07P1F/S100D36DRERX4012
125	36	102x87	80x60	11x9	155	160	07P1F125D36DRERX5015

Swivel Castor With Total Lock




									Order number
100	36	105x80	80x60	11x9	40	132	125	135	07P1TB100D36DRERX4012
100	36	105x80	80x60	11x9	40	132	128	135	07P1TB/S100D36DRERX4012
125	36	105x80	80x60	11x9	40	134	155	160	07P1TB125D36DRERX5015

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85" thermoplastic rubber wheel centre, roller bearing, samll metal thread guard



-20 / +60°C
 4 KM/H
 135 - 160 KG
 124 - 154 MM

Swivel Castor With Bolt Hole



						Order number
100	36	36	φ10.5/φ13	124	135	07H1S100D36DRERX4012
100	36	36	φ10.5/φ13	127	135	07H1S/S100D36DRERX4012
125	36	36	φ10.5/φ13	154	160	07H1S125D36DRERX5015

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	36	40	φ10.5/φ13	132	124	135	07H1TB100D36DRERX4012
100	36	40	φ10.5/φ13	132	127	135	07H1TB/S100D36DRERX4012
125	36	40	φ10.5/φ13	134	154	160	07H1TB125D36DRERX5015

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85" thermoplastic rubber wheel centre, central ball bearing, dark grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 135 - 160 KG
 125 - 155 MM

Swivel Castor



								Order number
100	36	105x80	80x60	11x9	36	125	135	07P1S100D36DREBA4208
100	36	105x80	80x60	11x9	36	128	135	07P1S/S100D36DREBA4208
125	36	105x80	80x60	11x9	40	155	160	07P1S125D36DREBA5210

Fixed Castor



							Order number
100	36	102x87	80x60	11x9	125	135	07P1F100D36DREBA4208
100	36	102x87	80x60	11x9	128	135	07P1F/S100D36DREBA4208
125	36	102x87	80x60	11x9	155	160	07P1F125D36DREBA5210

Swivel Castor With Total Lock




								Order number
100	36	105x80	80x60	11x9	40	124	125	07P1TB100D36DREBA4208
100	36	105x80	80x60	11x9	40	124	128	07P1TB/S100D36DREBA4208
125	36	105x80	80x60	11x9	40	154	155	07P1TB125D36DREBA5210

Grey Polypropylene Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork assembly, zinc-plated swivel head with double ball race

Wheel: grey polypropylene tread grey polypropylene with dark grey shore a 85" thermoplastic rubber wheel centre, central ball bearing, dark grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 135 - 160 KG
 124 - 154 MM

Swivel Castor With Bolt Hole



						Order number
100	36	36	φ10.5/φ13	124	135	07H1S100D36DREBA4208
100	36	36	φ10.5/φ13	127	135	07H1S/S100D36DREBA4208
125	36	36	φ10.5/φ13	154	160	07H1S125D36DREBA5210

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	36	40	φ10.5/φ13	132	124	135	07H1TB100D36DREBA4208
100	36	40	φ10.5/φ13	132	127	135	07H1TB/S100D36DRBAC4208
125	36	40	φ10.5/φ13	134	154	160	07H1TB125D36DREBA5210

Grey Polyamide Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre grey polyamide and dark grey shore a 80" elastic rubber wheel centre, roller bearing grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 160 - 200 KG
 125 - 155 MM

Swivel Castor



								Order number
100	36	105x80	80x60	11x9	36	125	160	07P1S100D36DRARA4012
100	36	105x80	80x60	11x9	36	128	160	07P1S/S100D36DRERA4012
125	36	105x80	80x60	11x9	36	155	200	07P1S125D36DRERA5015

Fixed Castor



							Order number
100	36	102x87	80x60	11x9	125	160	07P1F100D36DRARA4012
100	36	102x87	80x60	11x9	128	160	07P1F/S100D36DRARA4012
125	36	102x87	80x60	11x9	155	200	07P1F125D36DRARA5015

Swivel Castor With Total Lock




									Order number
100	36	105x80	80x60	11x9	40	132	125	160	07P1TB100D36DRARA4012
100	36	105x80	80x60	11x9	40	132	125	160	07P1TB/S100D36DRARA4012
125	36	105x80	80x60	11x9	40	134	155	200	07P1TB125D36DRARA5015

Grey Polyamide Sandwich Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polypropylene wheel centre grey polyamide and dark grey shore a 80" elastic rubber wheel centre, roller bearing grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 160 - 200 KG
 124 - 154 MM

Swivel Castor With Bolt Hole



							Order number
100	36	36	φ10.5/φ13	124	160	07H1S100D36DRARA4012	
100	36	36	φ10.5/φ13	127	160	07H1S/S100D36DRARA4012	
125	36	36	φ10.5/φ13	154	200	07H1S125D36DRARA5015	

Swivel Castor With Bolt Hole And Total Lock




								Order number
100	36	40	φ10.5/φ13	132	124	160	07H1TB100D36DRARA4012	
100	36	40	φ10.5/φ13	132	127	160	07H1TB/S100D36DRARA4012	
125	36	40	φ10.5/φ13	134	154	200	07H1TB125D36DRARA5015	

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



-20 / +60°C
 4 KM/H
 160 - 350 KG
 125 - 235 MM

Swivel Castor



								Order number
100	34	105x80	80x60	11x9	36	125	160	07P1S100A34CETRX4012
100	34	105x80	80x60	11x9	36	128	160	07P1S/S100A34CETRX4012
125	40	105x80	80x60	11x9	36	155	250	07P1S125A40CETRX5015
160	46	135x110	105x80	13.5x11	52	190	300	07P1S160A46CETRX6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1S200A46CETRX6020

Fixed Castor



								Order number
100	34	105x80	80x60	11x9	125	160	07P1F100A34CETRX4012	
100	34	105x80	80x60	11x9	128	160	07P1F/S100A34CETRX4012	
125	40	105x80	80x60	11x9	155	250	07P1F125A40CETRX5015	
160	46	135x110	105x80	13.5x11	190	300	07P1F160A46CETRX6020	
200	46	135x110	105x80	13.5x11	235	350	07P1F200A46CETRX6020	

Swivel Castor With Total Lock




									Order number
100	34	105x80	80x60	11x9	40	132	125	160	07P1TB100A34CETRX4012
100	34	105x80	80x60	11x9	40	132	128	160	07P1TB/S100A34CETRX4012
125	40	135x110	105x80	11x9	40	134	190	250	07P1TB125A40CETRX5015
160	46	135x110	105x80	13.5x11	60	203	235	300	07P1TB160A46CETRX6020
200	46	135x110	105x80	13.5x11	60	203	205	350	07P1TB200A46CETRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



-20 / +60°C
 4 KM/H
 160 - 350 KG
 124 - 230 MM

Swivel Castor With Bolt Hole



							Order number
100	34	36	φ10.5/φ13	124	160	07H1S100A34CETRX4012	
100	34	36	φ10.5/φ13	127	160	07H1S/S100A34CETRX4012	
125	40	36	φ10.5/φ13	154	250	07H1S125A40CETRX5015	
160	46	52	φ16	185	300	07H1S160A46CETRX6020	
200	46	54	φ16	230	350	07H1S200A46CETRX6020	

Swivel Castor With Bolt Hole And Total Lock




								Order number
100	34	40	φ10.5/φ13	132	124	160	07H1TB100A34CETRX4012	
100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100A34CETRX4012	
125	40	40	φ10.5/φ13	134	154	250	07H1TB125A40CETRX5015	
160	46	60	φ16	203	185	300	07H1TB160A46CETRX6020	
200	46	60	φ16	203	230	350	07H1TB200A46CETRX6020	

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre 68+5 shore a blue elastic rubber tread roller bearing



	-20 / +60°C		4 KM/H
	300 - 350 KG		190 - 235 MM

Swivel Castor With Central Lock



								Order number	
160	46	135x110	105x80	13.5x11	52	156	190	300	07P1CB160A46CETRX6020
200	46	135x110	105x80	13.5x11	54	156	235	350	07P1CB200A46CETRX6020

Swivel Castor With Directional Lock



								Order number
160	46	135x110	105x80	13.5x11	52	190	300	07P1DB160A46CETRX6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1DB200A46CETRX6020

Fixed Castor With Front Lock



							Order number
160	40	135x114	105x80	φ11	195	300	07P1F/FB160A46CETRX6020

Swivel Castor With Front Lock




								Order number	
160	46	135x110	105x80	13.5x11	52	154	190	300	07P1FB160A46CETRX6020
200	46	135x110	105x80	13.5x11	54	154	235	350	07P1FB200A46CETRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre 68+5 shore a blue elastic rubber tread central ball bearing, black samll thread guards



	-20 / +60°C		4 KM/H
	160 - 250 KG		125 - 155 MM

Swivel Castor



								Order number
100	34	105x80	80x60	11x9	36	125	160	07P1S100A34CETBA428
100	34	105x80	80x60	11x9	36	128	160	07P1S/S100A34CETBA428
125	40	105x80	80x60	11x9	36	155	250	07P1S125A40CETBA5210

Fixed Castor



							Order number
100	34	102x87	80x60	11x9	125	160	07P1F100A34CETBA428
100	34	102x87	80x60	11x9	128	160	07P1F/S100A34CETBA428
125	40	102x87	80x60	11x9	155	250	07P1F125A40CETBA5210

Swivel Castor With Total Lock




								Order number	
100	34	105x80	80x60	11x9	40	132	125	160	07P1TB100A34CETBA428
100	34	105x80	80x60	11x9	40	132	128	160	07P1TB/S100A34CETBA428
125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125A40CETBA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread central ball bearing, black samll thread guards



Swivel Castor With Bolt Hole



							Order number
100	34	36	φ10.5/φ13	124	160	07H1S100A34CETBA4208	
100	34	36	φ10.5/φ13	127	160	07H1S/S100A34CETBA4208	
125	40	36	φ10.5/φ13	154	250	07H1S125A40CETBA5210	

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	34	40	φ10.5/φ13	132	124	160	07H1TB100A34CETBA4208
100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100A34CETBA4208
125	40	40	φ10.5/φ13	134	154	250	07H1TB125A40CETBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor



									Order number
100	34	105x80	80x60	11x9	36	125	160	07P1S100D34DETRX4012	
100	34	105x80	80x60	11x9	36	128	160	07P1S/S100D34DETRX4012	
125	40	105x80	80x60	11x9	36	155	250	07P1S125D40DETRX5015	
160	46	135x110	105x80	13.5x11	52	190	300	07P1S160D46DETRX6020	
200	46	135x110	105x80	13.5x11	54	235	350	07P1S200D46DETRX6020	

Fixed Castor



									Order number
100	34	102x87	80x60	11x9	125	160	07P1F100D34DETRX4012		
100	34	102x87	80x60	11x9	128	160	07P1F/S100D34DETRX4012		
125	40	102x87	80x60	11x9	155	250	07P1F125D40DETRX5015		
160	46	135x114	105x80	13.5x11	190	300	07P1F160D46DETRX6020		
200	46	135x114	105x80	13.5x11	235	350	07P1F200D46DETRX6020		

Swivel Castor With Total Lock



										Order number
100	34	105x80	80x60	11x9	40	132	125	160	07P1TB100D34DETRX4012	
100	34	105x80	80x60	11x9	40	132	128	160	07P1TB/S100D34DETRX4012	
125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125D40DETRX5015	
160	46	135x110	105x80	13.5x11	60	203	190	300	07P1TB160D46DETRX6020	
200	46	135x110	105x80	13.5x11	60	203	235	350	07P1TB200D46DETRX6020	

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor With Bolt Hole



							Order number
100	34	36	φ10.5/φ13	124	160	07H1S100D34DETRX4012	
100	34	36	φ10.5/φ13	127	160	07H1S/S100D34DETRX4012	
125	40	36	φ10.5/φ13	154	250	07H1S125D40DETRX5015	
160	46	52	φ16	185	300	07H1S160D46DETRX6020	
200	46	54	φ16	230	350	07H1S200D46DETRX6020	

Swivel Castor With Bolt Hole And Total Lock



							Order number
100	34	40	φ10.5/φ13	132	124	160	07H1TB100D34DETRX4012
100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100D34DETRX4012
125	40	40	φ10.5/φ13	134	154	250	07H1TB125D40DETRX5015
160	46	60	φ16	203	185	300	07H1TB160D46DETRX6020
200	46	60	φ16	203	230	350	07H1TB200D46DETRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor With Central Lock



									Order number
160	46	135x110	105x80	13.5x11	52	156	190	300	07P1CB160D46DETRX6020
200	46	135x110	105x80	13.5x11	54	156	235	350	07P1CB200D46DETRX6020

Swivel Castor With Directional Lock



								Order number
160	46	135x110	105x80	13.5x11	52	190	300	07P1DB160D46DETRX6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1DB200D46DETRX6020

Fixed Castor With Front Lock



							Order number
160	40	135x114	105x80	φ11	195	300	07P1F/FB160D46DETRX6020

Swivel Castor With Front Lock




								Order number	
160	46	135x110	105x80	13.5x11	52	154	190	300	07P1FB160D46DETRX6020
200	46	135x110	105x80	13.5x11	54	154	235	350	07P1FB200D46DETRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, grey samll thread guards



-20 / +60°C
 4 KM/H
 160 - 250 KG
 125 - 155 MM

Swivel Castor



								Order number
100	34	105x80	80x60	11x9	36	125	160	07P1S100D34DETBA4208
100	34	105x80	80x60	11x9	36	128	160	07P1S/S100D34DETBA4208
125	40	105x80	80x60	11x9	36	155	250	07P1S125D40DETBA5210

Fixed Castor



							Order number
100	34	102x87	80x60	11x9	125	160	07P1F100D34DETBA4208
100	34	102x87	80x60	11x9	128	160	07P1F/S100D34DETBA4208
125	40	102x87	80x60	11x9	155	250	07P1F125D40DETBA5210

Swivel Castor With Total Lock




								Order number	
100	34	105x80	80x60	11x9	40	132	125	160	07P1TB100D34DETBA4208
100	34	105x80	80x60	11x9	40	132	128	160	07P1TB/S100D34DETBA4208
125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125D40DETBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, grey samll thread guards



-20 / +60°C
 4 KM/H
 160 - 250 KG
 124 - 154 MM

Swivel Castor With Bolt Hole



						Order number
100	34	36	φ10.5/φ13	124	160	07H1S100D34DETBA4208
100	34	36	φ10.5/φ13	127	160	07H1S/S100D34DETBA4208
125	40	36	φ10.5/φ13	154	250	07H1S125D40DETBA5210

Swivel Castor With Bolt Hole And Total Lock




							Order number
100	34	40	φ10.5/φ13	132	124	160	07H1TB100D34DETBA4208
100	34	40	φ10.5/φ13	132	127	160	07H1TB/S100D34DETBA4208
125	40	40	φ10.5/φ13	134	154	250	07H1TB125D40DETBA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



-20 / +60°C
 4 KM/H
 130 - 350 KG
 100 - 235 MM

Swivel Castor



								Order number
80	35	105x80	80x60	11x9	36	100	130	07P1S80A35CEPRX4012
100	36	105x80	80x60	11x9	36	125	180	07P1S100A36CEPRX4012
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100A36CEPRX4012
125	36	105x80	80x60	11x9	36	155	230	07P1S125A36CEPRX5015
160	48	135x110	105x80	13.5x11	52	190	300	07P1S160A48CEPRX6020
200	48	135x110	105x80	13.5x11	54	235	350	07P1S200A48CEPRX6020

Fixed Castor



								Order number
80	35	102x87	80x60	11x9	100	130	07P1F80A35CEPRX4012	
100	36	102x87	80x60	11x9	125	180	07P1F100A36CEPRX4012	
100	36	102x87	80x60	11x9	128	180	07P1F/S100A36CEPRX4012	
125	36	102x87	80x60	11x9	155	230	07P1F125A36CEPRX5015	
160	48	135x114	105x80	13.5x11	190	300	07P1F160A48CEPRX6020	
200	48	135x114	105x80	13.5x11	235	350	07P1F200A48CEPRX6020	

Swivel Castor With Total Lock




								Order number	
80	35	105x80	80x60	11x9	36	129	100	130	07P1TB80A35CEPRX4012
100	36	105x80	80x60	11x9	40	132	125	180	07P1TB100A36CEPRX4012
100	36	105x80	80x60	11x9	40	132	125	180	07P1TB/S100A36CEPRX4012
125	36	105x80	80x60	11x9	40	134	155	230	07P1TB125A36CEPRX5015
160	48	135x110	105x80	13.5x11	60	203	190	300	07P1TB160A48CEPRX6020
200	48	135x110	105x80	13.5x11	60	203	235	350	07P1TB200A48CEPRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre 68+5 shore a blue elastic rubber tread roller bearing



-20 / +60°C
 4 KM/H
 130 - 350 KG
 99 - 235 MM

Swivel Castor With Bolt Hole



							Order number
80	35	36	φ10.5/φ13	99	130	07H1S80A35CEPRX4012	
100	36	36	φ10.5/φ13	124	180	07H1S100A36CEPRX4012	
100	36	36	φ10.5/φ13	127	180	07H1S/S100A36CEPRX4012	
125	36	36	φ10.5/φ13	154	230	07H1S125A36CEPRX5015	
160	48	52	φ16	185	300	07H1S160A48CEPRX6020	
200	48	54	φ16	230	350	07H1S200A48CEPRX6020	

Swivel Castor With Bolt Hole And Total Lock



							Order number
80	35	36	φ10.5/φ13	129	99	130	07H1TB80A35CEPRX4012
100	36	40	φ10.5/φ13	132	124	180	07H1TB100A36CEPRX4012
100	36	40	φ10.5/φ13	132	124	180	07H1TB/S100A36CEPRX4012
125	36	40	φ10.5/φ13	134	154	230	07H1TB125A36CEPRX5015
160	48	60	φ16	203	185	300	07H1TB160A48CEPRX6020
200	48	60	φ16	203	230	350	07H1TB200A48CEPRX6020

Swivel Castor With Front Lock




							Order number		
160	48	135x110	105x80	13.5x11	52	154	190	300	07P1FB160A48CEPRX6020
200	48	135x110	105x80	13.5x11	54	154	235	350	07P1FB200A48CEPRX6020

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread roller bearing



	-20 / +60°C		4 KM/H
	130 - 350 KG		100 - 235 MM

Swivel Castor With Directional Lock




								Order number
160	48	135x110	105x80	13.5x11	52	190	300	07P1DB160A48CEPRX6020
200	48	135x110	105x80	13.5x11	54	235	350	07P1DB200A48CEPRX6020

Swivel Castor With Central Lock



								Order number	
160	48	135x110	105x80	13.5x11	52	156	190	300	07P1CB160A48CEPRX6020
200	48	135x110	105x80	13.5x11	54	156	235	350	07P1CB200A48CEPRX6020

Fixed Castor With Front Lock



							Order number
160	48	135x114	105x80	13.5x11	195	300	07P1F/FG/FB160A48CEPRX6020

Swivel Castor With Directional Lock




								Order number	
80	35	105x80	80x60	11x9	36	145	100	130	07P1DB80A35CEPRX4012
100	36	105x80	80x60	11x9	40	145	125	180	07P1DB100A36CEPRX4012
100	36	105x80	80x60	11x9	40	145	128	180	07P1DB/S100A36CEPRX4012

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread central ball bearing, black samll plastic thread guards



	-20 / +60°C		4 KM/H
	130 - 250 KG		100 - 155 MM

Swivel Castor



								Order number
80	36	105x80	80x60	11x9	36	100	130	07P1S80A36CEPBA4208
100	36	105x80	80x60	11x9	36	125	160	07P1S100A36CEPBA4208
100	36	105x80	80x60	11x9	36	128	160	07P1S/S100A36CEPBA4208
125	36	105x80	80x60	11x9	36	155	230	07P1S125A36CEPBA5210
125	38	105x80	80x60	11x9	36	155	250	07P1S125A38CEPBA5210

Fixed Castor



							Order number
80	36	102x87	80x60	11x9	100	130	07P1F80A36CEPBA4208
100	36	102x87	80x60	11x9	125	160	07P1F100A36CEPBA4208
100	36	102x87	80x60	11x9	128	160	07P1F/S100A36CEPBA4208
125	36	102x87	80x60	11x9	155	230	07P1F125A36CEPBA5210
125	38	102x87	80x60	11x9	155	250	07P1F125A38CEPBA5210

Swivel Castor With Total Lock




								Order number	
80	36	105x80	80x60	11x9	36	129	100	130	07P1TB80A36CEPBA4208
100	36	105x80	80x60	11x9	40	132	125	160	07P1TB100A36CEPBA4208
100	36	105x80	80x60	11x9	40	132	128	160	07P1TB/S100A36CEPBA4208
125	36	105x80	80x60	11x9	40	134	155	230	07P1TB125A36CEPBA5210
125	38	105x80	80x60	11x9	40	134	155	250	07P1TB125A38CEPBA5210

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread central ball bearing, black samll plastic thread guards



Swivel Castor With Bolt Hole



							Order number
80	36	36	φ10.5/φ13	99	130	07H1S80A36CEPBA4208	
100	36	36	φ10.5/φ13	124	180	07H1S100A36CEPBA4208	
100	36	36	φ10.5/φ13	127	180	07H1S/S100A36CEPBA4208	
125	36	36	φ10.5/φ13	154	250	07H1S125A36CEPBA5210	
125	38	36	φ10.5/φ13	154	250	07H1S125A38CEPBA5210	

Swivel Castor With Bolt Hole And Total Lock




							Order number
80	35	36	φ10.5/φ13	129	99	130	07H1TB80A36CEPBA4208
100	36	40	φ10.5/φ13	132	124	180	07H1TB100A36CEPBA4208
100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100A36CEPBA4208
125	36	40	φ10.5/φ13	134	154	250	07H1TB125A36CEPBA5210
125	38	40	φ10.5/φ13	134	154	250	07H1TB125A38CEPBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor



							Order number	
80	35	105x80	80x60	11x9	36	100	130	07P1S80D35CEPRX4012
100	36	105x80	80x60	11x9	36	125	180	07P1S100D36CEPRX4012
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100D36CEPRX4012
125	36	105x80	80x60	11x9	36	155	230	07P1S125D36CEPRX5015
160	48	135x110	105x80	13.5x11	52	190	300	07P1S160D48CEPRX6020
200	48	135x110	105x80	13.5x11	54	235	350	07P1S200D48CEPRX6020

Fixed Castor



							Order number
80	35	102x87	80x60	11x9	100	130	07P1F80D35CEPRX4012
100	36	102x87	80x60	11x9	125	180	07P1F100D36CEPRX4012
100	36	102x87	80x60	11x9	128	180	07P1F/S100D36CEPRX4012
125	36	102x87	80x60	11x9	155	230	07P1F125D36CEPRX5015
160	48	135x114	105x80	13.5x11	190	300	07P1F160D48CEPRX6020
200	48	135x114	105x80	13.5x11	235	350	07P1F200D48CEPRX6020

Swivel Castor With Total Lock




							Order number		
80	35	105x80	80x60	11x9	36	129	100	130	07P1TB80D35CEPRX4012
100	36	105x80	80x60	11x9	40	132	125	180	07P1TB100D36CEPRX4012
100	36	105x80	80x60	11x9	40	132	128	180	07P1TB/S100D36CEPRX4012
125	36	105x80	80x60	11x9	40	134	155	230	07P1TB125D36CEPRX5015
160	48	135x110	105x80	13.5x11	60	203	190	300	07P1TB160D48CEPRX6020
200	48	135x110	105x80	13.5x11	60	203	235	350	07P1TB200D48CEPRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread roller bearing



Swivel Castor With Bolt Hole



							Order number
80	35	36	φ10.5/φ13	99	130	07H1S80D35CEPRX4012	
100	36	36	φ10.5/φ13	124	180	07H1S100D36CEPRX4012	
100	36	36	φ10.5/φ13	127	180	07H1S/S100D36CEPRX4012	
125	36	36	φ10.5/φ13	154	230	07H1S125D36CEPRX5015	
160	48	52	φ16	185	300	07H1S160D48CEPRX6020	
200	48	54	φ16	230	350	07H1S200D48CEPRX6020	

Swivel Castor With Bolt Hole And Total Lock




							Order number
80	35	36	φ10.5/φ13	129	99	130	07H1TB80D35CEPRX4012
100	36	40	φ10.5/φ13	132	124	180	07H1TB100D36CEPRX4012
100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100D36CEPRX4012
125	36	40	φ10.5/φ13	134	154	230	07H1TB125D36CEPRX5015
160	48	60	φ16	203	185	300	07H1TB160D48CEPRX6020
200	48	60	φ16	203	230	350	07H1TB200D48CEPRX6020

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, black samll plastic thread guards



Swivel Castor



								Order number
80	36	105x80	80x60	11x9	36	100	130	07P1S80D35CEPBA428
100	36	105x80	80x60	11x9	36	125	160	07P1S100D36CEPBA428
100	36	105x80	80x60	11x9	36	128	160	07P1S/S100D36CEPBA428
125	36	105x80	80x60	11x9	36	155	230	07P1S125D36CEPBA5210
125	38	105x80	80x60	11x9	36	155	250	07P1S125D38CEPBA5210

Fixed Castor



								Order number
80	36	102x87	80x60	11x9	100	130	130	07P1F80D35CEPBA4208
100	36	102x87	80x60	11x9	125	160	160	07P1F100D36CEPBA4208
100	36	102x87	80x60	11x9	128	160	160	07P1F/S100D36CEPBA4208
125	36	102x87	80x60	11x9	155	230	230	07P1F125D36CEPBA5210
125	38	102x87	80x60	11x9	155	250	250	07P1F125D38CEPBA5210

Swivel Castor With Total Lock




									Order number
80	36	105x80	80x60	11x9	36	129	100	130	07P1TB80D35CEPBA4208
100	36	105x80	80x60	11x9	40	132	125	160	07P1TB100D36CEPBA4208
100	36	105x80	80x60	11x9	40	132	128	160	07P1TB/S100D36CEPBA4208
125	36	105x80	80x60	11x9	40	134	155	230	07P1TB125D36CEPBA5210
125	38	105x80	80x60	11x9	40	134	155	250	07P1TB125D38CEPBA5210

Grey Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread central ball bearing, black samll plastic thread guards



Swivel Castor With Bolt Hole

						Order number
80	36	36	φ10.5/φ13	99	130	07H1S80D36CEPBA4208
100	36	36	φ10.5/φ13	124	180	07H1S100D36CEPBA4208
100	36	36	φ10.5/φ13	127	180	07H1S/S100D36CEPBA4208
125	36	36	φ10.5/φ13	154	250	07H1S125D36CEPBA5210
125	38	36	φ10.5/φ13	154	250	07H1S125D38CEPBA5210


Swivel Castor With Bolt Hole And Total Lock

							Order number
80	35	36	φ10.5/φ13	129	99	130	07H1TB80D36CEPBA4208
100	36	40	φ10.5/φ13	132	124	180	07H1TB100D36CEPBA4208
100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100D36CEPBA4208
125	36	40	φ10.5/φ13	134	154	250	07H1TB125D36CEPBA5210
125	38	40	φ10.5/φ13	134	154	250	07H1TB125D38CEPBA5210

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread two ball bearings



Swivel Castor

								Order number
80	38	105x80	80x60	11x9	36	100	150	07P1S80C38JEADX4015
100	40	105x80	80x60	11x9	36	125	180	07P1S100C40JEADX4015
100	40	105x80	80x60	11x9	36	128	180	07P1S/S100C40JEADX4015
125	40	105x80	80x60	11x9	36	155	250	07P1S125C40JEADX5015
160	50	135x110	105x80	13.5x11	52	190	300	07P1S160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07P1S200C50JEADX6020
230	50	135x110	105x80	13.5x11	61	260	350	07P1S230C50JEADX6020
250	50	135x110	105x80	13.5x11	70	290	350	07P1S250C50JEADX6020

Fixed Castor

							Order number
80	38	102x87	80x60	11x9	100	150	07P1F80C38JEADX4015
100	40	102x87	80x60	11x9	125	180	07P1F100C40JEADX4015
100	40	102x87	80x60	11x9	128	180	07P1F/S100C40JEADX4015
125	40	102x87	80x60	11x9	155	250	07P1F125C40JEADX5015
160	50	135x114	105x80	13.5x11	190	300	07P1F160C50JEADX6020
200	50	135x114	105x80	13.5x11	235	350	07P1F200C50JEADX6020
230	50	135x114	105x80	13.5x11	260	350	07P1F230C50JEADX6020
250	50	135x114	105x80	13.5x11	290	350	07P1F250C50JEADX6020


Swivel Castor With Total Lock

									Order number
80	38	105x80	80x60	11x9	36	129	100	150	07P1TB80C38JEADX4015
100	40	105x80	80x60	11x9	40	132	125	180	07P1TB/S100C40JEADX4015
125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125C40JEADX5015
160	50	135x110	105x80	13.5x11	60	203	190	300	07P1TB160C50JEADX6020
200	50	135x110	105x80	13.5x11	60	203	235	350	07P1TB200C50JEADX6020

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head, with central lock
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings




	-20 / +60°C		4 KM/H
	300 - 350 KG		190 - 235 MM

Swivel Castor With Central Lock



									Order number
160	50	135x110	105x80	13.5x11	52	156	190	300	07P1CB160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	156	235	350	07P1CB200C50JEADX6020

Fixed Castor With Front Lock



							Order number
160	50	135x114	105x80	13.5x11	195	300	07P1F/FB/FG160C50JEADX6020

Swivel Castor With Directional Lock




								Order number	
140	44	125x125	100x100	13.5x11	52	120	171.5	300	07P1DB140C44JEADX6020

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head, with central lock
Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



	-20 / +60°C		4 KM/H
	150 - 350 KG		100 - 235 MM

Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	52	190	300	07P1DB160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07P1DB200C50JEADX6020

Swivel Castor With Directional Lock




								Order number	
80	38	105x80	80x60	11x9	36	145	100	150	07P1DB80C38JEADX4015
100	40	105x80	80x60	11x9	36	145	125	180	07P1DB100C40JEADX4015
100	40	105x80	80x60	11x9	36	145	125	180	07P1DB/S100C40JEADX4015

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 150 - 350 KG
 100 - 235 MM

Swivel Castor With Bolt Hole



								Order number
80	38	105x80	80x60	11x9	36	100	150	07H1S80C38JEADX4015
100	40	105x80	80x60	11x9	36	125	180	07H1S100C40JEADX4015
100	40	105x80	80x60	11x9	36	127	180	07H1S/S100C40JEADX4015
125	40	105x80	80x60	11x9	36	155	250	07H1S125C40JEADX5015
160	50	135x110	105x80	13.5x11	52	190	300	07H1S160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07H1S200C50JEADX6020

Swivel Castor With Bolt Hole And Total Lock



									Order number
80	38	105x80	80x60	11x9	36	129	100	150	07H1TB80C38JEADX4015
100	40	105x80	80x60	11x9	40	132	125	180	07H1TB100C40JEADX4015
100	40	105x80	80x60	11x9	40	132	127	180	07H1TB/S100C40JEADX4015
125	40	105x80	80x60	11x9	40	134	155	250	07H1TB125C40JEADX5015
160	50	135x110	105x80	13.5x11	60	203	190	300	07H1TB160C50JEADX6020
200	50	135x110	105x80	13.5x11	60	203	235	350	07H1TB200C50JEADX6020

Swivel Castor With Front Lock




								Order number	
160	50	135x110	105x80	13.5x11	52	154	190	300	07P1FB160C50JEADX6020
200	50	135x110	105x80	13.5x11	54	154	235	350	07P1FB200C50JEADX6020
230	50	135x110	105x80	13.5x11	61	157	260	350	07P1FB230C50JEADX6020
250	50	135x110	105x80	13.5x11	70	157	290	350	07P1FB250C50JEADX6020

Grey Elastic Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: silvery casting-aluminium wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 150 - 350 KG
 100 - 290 MM

Swivel Castor



								Order number
80	38	105x80	80x60	φ9	36	100	150	07P1S80D38JEADX4015
100	40	105x80	80x60	φ9	36	125	180	07P1S100D40JEADX4015
100	40	105x80	80x60	φ9	36	128	180	07P1S/S100D40JEADX4015
125	40	105x80	80x60	φ9	36	155	250	07P1S125D40JEADX5015
160	50	135x110	105x80	φ11	52	190	300	07P1S160D50JEADX6020
200	50	135x110	105x80	φ11	54	235	350	07P1S200D50JEADX6020
230	50	135x110	105x80	φ11	61	260	350	07P1S230D50JEADX6020
250	50	135x110	105x80	φ11	70	290	350	07P1S250D50JEADX6020

Fixed Castor



									Order number
80	38	102x87	80x60	φ9	100	150	150	150	07P1F80D38JEADX4015
100	40	102x87	80x60	φ9	125	180	180	180	07P1F100D40JEADX4015
100	40	102x87	80x60	φ9	128	180	180	180	07P1F/S100D40JEADX4015
125	40	102x87	80x60	φ9	155	250	250	250	07P1F125D40JEADX5015
160	50	135x114	105x80	φ11	190	300	300	300	07P1F160D50JEADX6020
200	50	135x114	105x80	φ11	235	350	350	350	07P1F200D50JEADX6020
230	50	135x114	105x80	φ11	260	350	350	350	07P1F230D50JEADX6020
250	50	135x114	105x80	φ11	290	350	350	350	07P1F250D50JEADX6020

Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	φ9	36	129	100	150	07P1TB80D38JEADX4015
100	40	105x80	80x60	φ9	40	132	125	180	07P1TB100D40JEADX4015
100	40	105x80	80x60	φ9	40	132	125	180	07P1TB/S100D40JEADX4015
125	40	105x80	80x60	φ9	40	134	155	250	07P1TB125D40JEADX5015
160	50	135x110	105x80	φ11	60	203	190	300	07P1TB160D50JEADX6020
200	50	135x110	105x80	φ11	60	203	235	350	07P1TB200D50JEADX6020

Grey Elastic Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 150 - 350 KG
 100 - 235 MM

Swivel Castor With Bolt Hole



								Order number
80	38	105x80	80x60	11x9	36	100	150	07H1S80D38JEADX4015
100	40	105x80	80x60	11x9	36	125	180	07H1S100D40JEADX4015
100	40	105x80	80x60	11x9	36	128	180	07H1S/S100D40JEADX4015
125	40	105x80	80x60	11x9	36	155	250	07H1S125D40JEADX5015
160	50	135x110	105x80	13.5x11	52	190	300	07H1S160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07H1S200D50JEADX6020

Swivel Castor With Bolt Hole And Total Lock




									Order number
80	38	105x80	80x60	11x9	36	129	100	150	07H1TB80D38JEADX4015
100	40	105x80	80x60	11x9	40	132	125	180	07H1TB100D40JEADX4015
100	40	105x80	80x60	11x9	40	132	125	180	07H1TB/S100D40JEADX4015
125	40	105x80	80x60	11x9	40	134	155	250	07H1TB125D40JEADX5015
160	50	135x110	105x80	13.5x11	60	203	190	300	07H1TB160D50JEADX6020
200	50	135x110	105x80	13.5x11	60	203	235	350	07H1TB200D50JEADX6020

Grey Elastic Rubber Industrial Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 300 - 350 KG
 190 - 235 MM

Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	52	190	300	07P1DB160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	235	350	07P1DB200D50JEADX6020

Swivel Castor With Central Lock



									Order number
160	50	135x110	105x80	13.5x11	52	156	190	300	07P1CB160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	156	235	350	07P1CB200D50JEADX6020

Swivel Castor With Front Lock




									Order number
160	50	135x110	105x80	13.5x11	52	154	190	300	07P1FB160D50JEADX6020
200	50	135x110	105x80	13.5x11	54	154	235	350	07P1FB200D50JEADX6020
230	50	135x110	105x80	13.5x11	61	157	260	350	07P1FB230D50JEADX6020
250	50	135x110	105x80	13.5x11	70	157	290	350	07P1FB250D50JEADX6020

Red Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: white polyamide wheel centre shore a 92 red injection polyurethane tread roller bearing



-20 / +60°C
 4 KM/H
 150 - 350 KG
 100 - 235 MM

Swivel Castor



								Order number
80	34	105x80	80x60	11x9	36	100	150	07P1S80F34BUPRX4012
100	34	105x80	80x60	11x9	36	125	180	07P1S100F34BUPRX4012
100	34	105x80	80x60	11x9	36	128	180	07P1S/S100F34BUPRX4012
125	36	105x80	80x60	11x9	36	155	250	07P1S125F36BUPRX5015
160	40	135x110	105x80	13.5x11	52	190	300	07P1S160F40BUPRX6020
200	50	135x110	105x80	13.5x11	54	235	350	07P1S200F50BUPRX6020

Fixed Castor



								Order number
80	34	102x87	80x60	11x9	100	150	07P1F80F34BUPRX4012	
100	34	102x87	80x60	11x9	125	180	07P1F100F34BUPRX4012	
100	34	102x87	80x60	11x9	128	180	07P1F/S100F34BUPRX4012	
125	36	102x87	80x60	11x9	155	250	07P1F125F36BUPRX5015	
160	40	135x114	105x80	13.5x11	190	300	07P1F160F40BUPRX6020	
200	50	135x114	105x80	13.5x11	235	350	07P1F200F50BUPRX6020	

Swivel Castor With Total Lock




									Order number
80	34	105x80	80x60	11x9	36	129	100	150	07P1TB80F34BUPRX4012
100	34	105x80	80x60	11x9	40	132	125	180	07P1TB100F34BUPRX4012
100	34	105x80	80x60	11x9	40	132	128	180	07P1TB/S100F34BUPRX4012
125	36	105x80	80x60	11x9	40	134	155	250	07P1TB125F36BUPRX5015
160	40	135x110	105x80	13.5x11	60	203	190	300	07P1TB160F40BUPRX6020
200	50	135x110	105x80	13.5x11	60	203	235	350	07P1TB200F50BUPRX6020

Red Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: white polyamide wheel centre shore a 92 red injection polyurethane tread roller bearing



-20 / +60°C
 4 KM/H
 150 - 350 KG
 99 - 230 MM

Swivel Castor With Bolt Hole



							Order number
80	34	36	φ10.5/φ13	99	150	07H1S80F34BUPRX4012	
100	34	36	φ10.5/φ13	124	180	07H1S100F34BUPRX4012	
100	34	36	φ10.5/φ13	124	180	07H1S/S100F34BUPRX4012	
125	36	36	φ10.5/φ13	154	250	07H1S125F36BUPRX5015	
160	40	52	φ16	185	300	07H1S160F40BUPRX6020	
200	50	54	φ16	230	350	07H1S200F50BUPRX6020	

Swivel Castor With Bolt Hole And Total Lock




								Order number
80	34	36	φ10.5/φ13	129	99	150	07H1TB80F34BUPRX4012	
100	34	40	φ10.5/φ13	132	124	180	07H1TB100F34BUPRX4012	
100	34	40	φ10.5/φ13	132	124	180	07H1TB/S100F34BUPRX4012	
125	36	40	φ10.5/φ13	134	154	250	07H1TB125F36BUPRX5015	
160	40	60	φ16	203	185	300	07H1TB160F40BUPRX6020	
200	50	60	φ16	203	230	350	07H1TB200F50BUPRX6020	

Red Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head, with central lock
Wheel: white polyamide wheel centre 92 shore a red injection polyurethane tread roller bearing



Swivel Castor With Directional Lock



									Order number
160	40	135x110	105x80	13.5x11	52	190	300	07P1DB160F40BUPRX6020	
200	50	135x110	105x80	13.5x11	54	235	350	07P1DB200F50BUPRX6020	

Swivel Castor With Central Lock



									Order number
160	40	135x110	105x80	13.5x11	52	156	190	300	07P1CB160F40BUPRX6020
200	50	135x110	105x80	13.5x11	54	156	235	350	07P1CB200F50BUPRX6020

Swivel Castor With Directional Lock



									Order number
80	34	105x80	80x60	11x9	36	145	100	150	07P1DB80F34BUPRX4012
100	34	105x80	80x60	11x9	36	145	125	180	07P1DB100F34BUPRX4012
100	34	105x80	80x60	11x9	36	145	125	180	07P1DB/S100F34BUPRX4012

Swivel Castor With Front Lock




									Order number
160	40	135x110	105x80	13.5x11	52	154	190	300	07P1FB160F40BUPRX6020
200	50	135x110	105x80	13.5x11	54	154	235	350	07P1FB200F50BUPRX6020

Green Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: grey polyamide wheel centre shore a 92 green injection polyurethane tread central ball bearing, green plastic samll thread guards



Swivel Castor




								Order number
80	34	105x80	80x60	11x9	36	100	150	07P1S80H34DUPBA428
100	34	105x80	80x60	11x9	36	125	180	07P1S100H34DUPBA428
100	34	105x80	80x60	11x9	36	128	180	07P1S/S100H34DUPBA428
125	36	105x80	80x60	11x9	36	155	250	07P1S125H36DUPBA5210

Fixed Castor



								Order number
80	34	105x80	80x60	11x9	100	150	07P1F80H34DUPBA428	
100	34	105x80	80x60	11x9	125	180	07P1F100H34DUPBA428	
100	34	105x80	80x60	11x9	128	180	07P1F/S100H34DUPBA428	
125	36	105x80	80x60	11x9	155	250	07P1F125H36DUPBA5210	

Swivel Castor With Total Lock




									Order number
80	34	105x80	80x60	11x9	36	129	100	150	07P1TB80H34DUPBA428
100	34	105x80	80x60	11x9	40	132	125	180	07P1TB100H34DUPBA428
100	34	105x80	80x60	11x9	40	132	128	180	07P1TB/S100H34DUPBA428
125	36	105x80	80x60	11x9	40	134	155	250	07P1TB125H36DUPBA5210

Green Injection Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: grey polyamide wheel centre shore a 92 green injection polyurethane tread central ball bearing, green plastic samll thread guards



-20 / +60°C
 4 KM/H
 150 - 250 KG
 99 - 154 MM

Swivel Castor With Bolt Hole



								Order number
80	34	105x80	80x60	11x9	36	99	150	07H1S80H34DUPBA428
100	34	105x80	80x60	11x9	36	124	180	07H1S100H34DUPBA428
100	34	105x80	80x60	11x9	36	127	180	07H1S/S100H34DUPBA428
125	36	105x80	80x60	11x9	36	154	250	07H1S125H36DUPBA5210

Swivel Castor With Total Lock And Bolt Hole




								Order number
80	34	105x80	80x60	11x9	36	129	99	07H1TB80H34DUPBA428
100	34	105x80	80x60	11x9	40	132	124	07H1TB100H34DUPBA428
100	34	105x80	80x60	11x9	40	132	127	07H1TB/S100H34DUPBA428
125	36	105x80	80x60	11x9	40	134	154	07H1TB125H36DUPBA5210

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, roller bearing



-20 / +60°C
 4 KM/H
 150 - 350 KG
 100 - 235 MM

Swivel Castor



								Order number
80	34	105x80	80x60	11x9	36	100	150	07P1S80B34BPARG4012
100	36	105x80	80x60	11x9	36	125	180	07P1S100B36BPARG4012
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100B36BPARG4012
125	40	105x80	80x60	11x9	36	155	250	07P1S125B40BPARG5015
160	40	135x110	105x80	13.5x11	52	190	300	07P1S160B40BPARG6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1S200B46BPARG6020

Fixed Castor



								Order number
80	34	102x87	80x60	11x9	100	150	150	07P1F80B34BPARG4012
100	36	102x87	80x60	11x9	125	180	180	07P1F100B36BPARG4012
100	36	102x87	80x60	11x9	128	180	180	07P1F/S100B36BPARG4012
125	40	102x87	80x60	11x9	155	250	250	07P1F125B40BPARG5015
160	40	135x114	105x80	13.5x11	190	300	300	07P1F160B40BPARG6020
200	46	135x114	105x80	13.5x11	235	350	350	07P1F200B46BPARG6020

Swivel Castor With Total Lock



								Order number	
80	34	105x80	80x60	11x9	36	129	100	150	07P1TB80B34BPARG4012
100	36	105x80	80x60	11x9	40	132	125	180	07P1TB100B36BPARG4012
100	36	105x80	80x60	11x9	40	132	128	180	07P1TB/S100B36BPARG4012
125	40	105x80	80x60	11x9	40	134	155	250	07P1TB125B40BPARG5015
160	40	135x110	105x80	13.5x11	60	203	190	300	07P1TB160B40BPARG6020
200	46	135x110	105x80	13.5x11	60	203	235	350	07P1TB200B46BPARG6020

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, roller bearing



Swivel Castor With Bolt Hole

						Order number
80	34	36	φ10.5/φ13	99	150	07H1S80B34BPARX4012
100	36	36	φ10.5/φ13	124	180	07H1S100B36BPARX4012
125	40	36	φ10.5/φ13	154	250	07H1S125B40BPARX5015
160	40	52	φ16	185	300	07H1S160B40BPARX6020
200	46	54	φ16	230	350	07H1S200B46BPARX6020

Swivel Castor With Bolt Hole And Total Lock

							Order number
80	34	36	φ10.5/φ13	129	99	150	07H1TB80B34BPARX4012
100	36	40	φ10.5/φ13	132	124	180	07H1TB100B36BPARX4012
125	40	40	φ10.5/φ13	134	154	250	07H1TB125B40BPARX5015
160	40	60	φ16	203	185	300	07H1TB160B40BPARX6020
200	46	60	φ16	203	230	350	07H1TB200B46BPARX6020

Swivel Castor With Front Lock

							Order number		
160	40	135x110	105x80	13.5x11	52	154	190	300	07P1FB160B40BPARX6020
200	46	135x110	105x80	13.5x11	54	154	235	350	07P1FB200B46BPARX6020

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head, with central lock
Wheel: white injection polyamide, roller bearing



Swivel Castor With Directional Lock

							Order number	
160	40	135x110	105x80	13.5x11	52	190	300	07P1DB160B40BPARX6020
200	46	135x110	105x80	13.5x11	54	235	350	07P1DB200B46BPARX6020

Swivel Castor With Central Lock

							Order number		
160	40	135x110	105x80	13.5x11	52	156	190	300	07P1CB160B40BPARX6020
200	46	135x110	105x80	13.5x11	54	156	235	350	07P1CB200B46BPARX6020

Fixed Castor With Front Lock

							Order number
160	40	135x114	105x80	13.5x11	195	300	07P1F/FB160B40BPARX6020

Swivel Castor With Directional Lock


							Order number		
80	34	105x80	80x60	11x9	36	145	100	150	07P1DB80B34BPARX4012
100	36	105x80	80x60	11x9	36	145	125	180	07P1DB100B36BPARX4012

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: white injection polyamide, central ball bearing, blue samll plastic thread guards



-20 / +60°C
 4 KM/H
 150 - 250 KG
 100 - 155 MM

Swivel Castor



								Order number
80	34	105x80	80x60	11x9	36	100	150	07P1S80B34BPABA428
100	36	105x80	80x60	11x9	36	125	180	07P1S100B36BPABA428
100	36	105x80	80x60	11x9	36	128	180	07P1S/S100B36BPABA428
125	40	105x80	80x60	11x9	36	155	250	07P1S125B40BPABA5210

Fixed Castor



								Order number
80	34	102x87	80x60	11x9	100	150	07P1F80B34BPABA428	
100	36	102x87	80x60	11x9	125	180	07P1F100B36BPABA428	
100	36	102x87	80x60	11x9	128	180	07P1F/S100B36BPABA428	
125	40	102x87	80x60	11x9	155	250	07P1F125B40BPABA5210	

Swivel Castor With Total Lock




								Order number
80	34	105x80	80x60	11x9	36	129	150	07P1TB80B34BPABA428
100	36	105x80	80x60	11x9	40	132	180	07P1TB100B36BPABA428
100	36	105x80	80x60	11x9	40	132	180	07P1TB/S100B36BPABA428
125	40	105x80	80x60	11x9	40	134	250	07P1TB125B40BPABA5210

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: white injection polyamide, central ball bearing, blue samll plastic thread guards



-20 / +60°C
 4 KM/H
 150 - 250 KG
 99 - 154 MM

Swivel Castor With Bolt Hole



								Order number
80	34	36	φ10.5/φ13	99	150	07H1S80B34BPABA428		
100	36	36	φ10.5/φ13	124	180	07H1S100B36BPABA428		
100	36	36	φ10.5/φ13	127	180	07H1S/S100B36BPABA428		
125	40	36	φ10.5/φ13	154	250	07H1S125B40BPABA5210		

Swivel Castor With Bolt Hole And Total Lock




								Order number
80	34	36	φ10.5/φ13	129	99	150	07H1TB80B34BPABA428	
100	36	40	φ10.5/φ13	132	124	180	07H1TB100B36BPABA428	
100	36	40	φ10.5/φ13	132	127	180	07H1TB/S100B36BPABA428	
125	40	40	φ10.5/φ13	134	154	250	07H1TB125B40BPABA5210	

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings, black samll plastic thread guards



	-20 / +60°C		4 KM/H
	160 - 400 KG		132 - 245 MM

Swivel Castor



								Order number
100	34	105x80	80x60	11x9	40	132	160	09P1S100A34CETDA428
125	40	105x80	80x60	11x9	40	155	250	09P1S125A34CETDA5210
160	46	135x110	105x80	13.5x9	52	190	300	09P1S160A46CETDA6212
160	46	135x110	105x80	13.5x9	52	200	300	09P1S/S160A46CETDA6212
200	46	135x110	105x80	13.5x9	54	235	400	09P1S200A46CETDA6212
200	46	135x110	105x80	13.5x9	54	245	400	09P1S/S200A46CETDA6212

Fixed Castor



								Order number
100	34	105x80	80x60	11x9	132	160	09P1F100A34CETDA428	
125	40	105x80	80x60	11x9	155	250	09P1F125A40CETDA5210	
160	46	135x110	105x80	13.5x9	190	300	09P1F160A46CETDA6212	
160	46	135x110	105x80	13.5x9	200	300	09P1F/S160A46CETDA6212	
200	46	135x110	105x80	13.5x9	235	400	09P1F200A46CETDA6212	
200	46	135x110	105x80	13.5x9	245	400	09P1F/S200A46CETDA6212	

Swivel Castor With Total Lock



									Order number
100	34	105x80	80x60	11x9	40	122	132	160	09P1TB100A34CETDA428
125	40	105x80	80x60	11x9	40	122	155	250	09P1TB125A40CETDA5210
160	46	135x110	105x80	13.5x9	60	199	190	300	07P1TB160A46CETDA6212
160	46	135x110	105x80	13.5x9	60	199	200	300	09P1TB/S160A46CETDA6212
200	46	135x110	105x80	13.5x9	60	199	235	400	09P1TB200A46CETDA6212
200	46	135x110	105x80	13.5x9	60	199	245	400	09P1TB/S200A46CETDA6212

Blue Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings, black samll plastic thread guards



	-20 / +60°C		4 KM/H
	160 - 400 KG		132 - 245 MM

Swivel Castor With Bolt Hole



								Order number
100	34	105x80	80x60	11x9	40	132	160	09H1S100A34CETDA428
125	40	105x80	80x60	11x9	40	155	250	09H1S125A34CETDA5210

Swivel Castor With Bolt Hole And Total Lock



									Order number
100	34	105x80	80x60	11x9	40	122	132	160	09H1TB100A34CETDA428
125	40	105x80	80x60	11x9	40	122	155	250	09H1TB125A40CETDA5210

Swivel Castor With Front Lock



									Order number
160	48	135x110	105x80	13.5x9	52	154	190	300	09P1FB160A46CETDA6212
160	48	135x110	105x80	13.5x9	52	154	200	300	09P1FB/S160A46CETDA6212
200	48	135x110	105x80	13.5x9	54	154	235	400	09P1FB200A46CETDA6212
200	48	135x110	105x80	13.5x9	54	154	245	400	09P1FB/S200A46CETDA6212

Swivel Castor With Directional Lock




								Order number
160	46	135x110	105x80	13.5x9	52	190	300	09P1DB160A46CETDA6212
160	46	135x110	105x80	13.5x9	52	200	300	09P1DB/S160A46CETDA6212
200	46	135x110	105x80	13.5x9	54	235	400	09P1DB200A46CETDA6212
200	46	135x110	105x80	13.5x9	54	245	400	09P1DB/S200A46CETDA6212

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black welded pressed steel wheel centre 68+5 shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 400 - 450 KG
 190 - 245 MM

Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	52	190	400	09P1S160C50CESDX5425
160	50	135x110	105x80	13.5x11	52	200	400	09P1S/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	54	235	450	09P1S200C50CESDX5420
200	50	135x110	105x80	13.5x11	54	245	450	09P1S/S200C50CESDX5420

Fixed Castor



							Order number
160	50	135x110	105x80	13.5x11	190	400	09P1F160C50CESDX5425
160	50	135x110	105x80	13.5x11	200	400	09P1F/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	235	450	09P1F200C50CESDX5420
200	50	135x110	105x80	13.5x11	245	450	09P1F/S200C50CESDX5420

Swivel Castor With Total Lock




									Order number
160	50	135x110	105x80	13.5x11	60	199	190	400	09P1TB160C50CESDX5425
160	50	135x110	105x80	13.5x11	60	199	200	400	09P1TB/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	60	199	235	450	09P1TB200C50CESDX5420
200	50	135x110	105x80	13.5x11	60	199	245	450	09P1TB/S200C50CESDX5420

Black Elastic Rubber Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black welded pressed steel wheel centre 68+5 shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 400 - 450 KG
 190 - 245 MM

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	52	154	190	400	09P1FB160C50CESDX5425
160	50	135x110	105x80	13.5x11	52	154	200	400	09P1FB/S160C50CESDX5425
200	50	135x110	105x80	13.5x11	54	154	235	450	09P1FB200C50CESDX5420
200	50	135x110	105x80	13.5x11	54	154	245	450	09P1FB/S200C50CESDX5420

Swivel Castor With Directional Lock




									Order number
160	50	135x110	105x80	13.5x11	52	190	400	09P1DB160C50CESDX5425	
160	50	135x110	105x80	13.5x11	52	200	400	09P1DB/S160C50CESDX5425	
200	50	135x110	105x80	13.5x11	54	235	450	09P1DB200C50CESDX5420	
200	50	135x110	105x80	13.5x11	54	245	450	09P1DB/S200C50CESDX5420	

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: sliver casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



-20 / +60°C
 4 KM/H
 300 - 600 KG
 132 - 245 MM

Swivel Castor



									Order number
100	38	105x80	80x60	φ9	40	132	300	09P1S100K38JUIDX4015	
125	38	105x80	80x60	φ9	40	155	350	09P1S125K38JUIDX5015	
160	50	135x110	105x80	φ11	52	190	500	09P1S160K50JUIDX6020	
160	50	135x110	105x80	φ11	52	200	600	09P1S/S160K50JUIDX6020	
200	50	135x110	105x80	φ11	54	235	500	09P1S200K50JUIDX6020	
200	50	135x110	105x80	φ11	54	245	600	09P1S/S200K50JUIDX6020	

Fixed Castor



								Order number
100	38	105x80	80x60	φ9	132	300	09P1F100K38JUIDX4015	
125	38	105x80	80x60	φ9	155	350	09P1F125K38JUIDX5015	
160	50	135x110	105x80	φ11	190	500	09P1F160K50JUIDX6020	
160	50	135x110	105x80	φ11	200	600	09P1F/S160K50JUIDX6020	
200	50	135x110	105x80	φ11	235	500	09P1F200K50JUIDX6020	
200	50	135x110	105x80	φ11	245	600	09P1F/S200K50JUIDX6020	

Swivel Castor With Total Lock




										Order number
100	38	105x80	80x60	φ9	40	122	132	300	09P1TB100K38JUIDX4015	
125	38	105x80	80x60	φ9	40	122	155	350	09P1TB125K38JUIDX5015	
160	50	135x110	105x80	φ11	60	199	190	500	09P1TB160K50JUIDX6020	
160	50	135x110	105x80	φ11	60	199	200	600	09P1TB/S160K50JUIDX6020	
200	50	135x110	105x80	φ11	60	199	235	500	09P1TB200K50JUIDX6020	
200	50	135x110	105x80	φ11	60	199	245	600	09P1TB/S200K50JUIDX6020	

Brown Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head

Wheel: black casting-iron wheel centre shore a 92 brown polyurethane tread, two ball bearings



-20 / +60°C
 4 KM/H
 300 - 350 KG
 132 - 155 MM

Swivel Castor With Bolt Hole



									Order number
100	38	105x80	80x60	φ9	40	132	300	09H1S100K38CUIDX4015	
125	38	105x80	80x60	φ9	40	155	350	09H1S125K38CUIDX5015	

Swivel Castor With Bolt Hole And Total Lock



										Order number
100	38	105x80	80x60	φ9	40	122	132	300	09H1TB100K38CUIDX4015	
125	38	105x80	80x60	φ9	40	122	155	350	09H1TB125K38CUIDX5015	

Swivel Castor With Front Lock



										Order number
160	50	135x110	105x80	φ11	52	154	190	500	09P1FB160K50JUIDX6020	
160	50	135x110	105x80	φ11	52	154	200	600	09P1FB/S160K50JUIDX6020	
200	50	135x110	105x80	φ11	54	154	235	500	09P1FB200K50JUIDX6020	
200	50	135x110	105x80	φ11	54	154	245	600	09P1FB/S200K50JUIDX6020	

Swivel Castor With Directional Lock




									Order number
160	50	135x110	105x80	φ11	52	190	500	09P1DB160K50JUIDX6020	
160	50	135x110	105x80	φ11	52	200	600	09P1DB/S160K50JUIDX6020	
200	50	135x110	105x80	φ11	54	235	500	09P1DB200K50JUIDX6020	
200	50	135x110	105x80	φ11	54	245	600	09P1DB/S200K50JUIDX6020	

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



-20 / +60°C
 4 KM/H
 220 - 600 KG
 108 - 245 MM

Swivel Castor



									Order number
80	38	105x80	80x60	11x9	40	108	220	09P1S80H38JUHDX4015	
100	40	105x80	80x60	11x9	40	132	270	09P1S100H40JUHDX4015	
125	40	105x80	80x60	11x9	40	155	310	09P1S125H40JUHDX5015	
160	50	135x110	105x80	13.5x11	52	190	500	09P1S160H50JUHDX6020	
160	50	135x110	105x80	13.5x11	52	200	500	09P1S/S160H50JUHDX6020	
200	50	135x110	105x80	13.5x11	54	235	500	09P1S200H50JUHDX6020	
200	50	135x110	105x80	13.5x11	54	245	600	09P1S/S200H50JUHDX6020	

Fixed Castor



								Order number
80	38	105x80	80x60	11x9	108	220	09P1F80H38JUHDX4015	
100	40	105x80	80x60	11x9	132	270	09P1F100H40JUHDX4015	
125	40	105x80	80x60	11x9	155	310	09P1F125H40JUHDX5015	
160	50	135x110	105x80	13.5x11	190	500	09P1F160H50JUHDX6020	
160	50	135x110	105x80	13.5x11	200	500	09P1F/S160H50JUHDX6020	
200	50	135x110	105x80	13.5x11	235	500	09P1F200H50JUHDX6020	
200	50	135x110	105x80	13.5x11	245	600	09P1F/S200H50JUHDX6020	

Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	40	120	108	220	09P1TB80H38JUHDX4015
100	40	105x80	80x60	11x9	40	122	132	270	09P1TB100H40JUHDX4015
125	40	105x80	80x60	11x9	40	122	155	310	09P1TB125H40JUHDX5015
160	50	135x110	105x80	13.5x11	60	199	190	500	09P1TB160H50JUHDX6020
160	50	135x110	105x80	13.5x11	60	199	200	500	09P1TB/S160H50JUHDX6020
200	50	135x110	105x80	13.5x11	60	199	235	500	09P1TB200H50JUHDX6020
200	50	135x110	105x80	13.5x11	60	199	245	600	09P1TB/S200H50JUHDX6020

Green Elastic Polyurethane Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



-20 / +60°C
 4 KM/H
 220 - 600 KG
 108 - 245 MM

Swivel Castor With Bolt Hole



									Order number
80	38	105x80	80x60	11x9	40	108	220	09P1S80H38JUHDX4015	
100	40	105x80	80x60	11x9	40	132	270	09P1S100H40JUHDX4015	
125	40	105x80	80x60	11x9	40	155	310	09P1S125H40JUHDX5015	

Swivel Castor With Bolt Hole And Total Lock



										Order number
80	38	105x80	80x60	11x9	40	120	108	220	09P1TB80H38JUHDX4015	
100	40	105x80	80x60	11x9	40	122	132	270	09P1TB100H40JUHDX4015	
125	40	105x80	80x60	11x9	40	122	155	310	09P1TB125H40JUHDX5015	

Swivel Castor With Front Lock



										Order number
160	50	135x110	105x80	13.5x11	52	154	190	500	09P1FB160H50JUHDX6020	
160	50	135x110	105x80	13.5x11	52	154	200	500	09P1FB/S160H50JUHDX6020	
200	50	135x110	105x80	13.5x11	54	154	235	500	09P1FB200H50JUHDX6020	
200	50	135x110	105x80	13.5x11	54	154	245	600	09P1FB/S200H50JUHDX6020	

Swivel Castor With Directional Lock




									Order number
160	50	135x110	105x80	13.5x11	52	190	500	09P1DB160H50JUHDX6020	
160	50	135x110	105x80	13.5x11	52	200	500	09P1DB/S160H50JUHDX6020	
200	50	135x110	105x80	13.5x11	54	235	500	09P1DB200H50JUHDX6020	
200	50	135x110	105x80	13.5x11	54	245	600	09P1DB/S200H50JUHDX6020	

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, two ball bearings



-20 / +60°C
 4 KM/H
 350 - 600 KG
 132 - 245 MM

Swivel Castor



								Order number
100	38	105x80	80x60	11x9	40	132	350	09P1S100B38BPHDX4015
125	38	105x80	80x60	11x9	40	155	350	09P1S125B38BPHDX5015
160	50	135x110	105x80	13.5x11	52	190	500	09P1S160B50BPHDX6020
160	50	135x110	105x80	13.5x11	52	200	500	09P1S/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	235	500	09P1S200B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	245	600	09P1S/S200B50BPHDX6020

Fixed Castor



							Order number
100	38	105x80	80x60	11x9	132	350	09P1F100B38BPHDX4015
125	38	105x80	80x60	11x9	155	350	09P1F125B38BPHDX
160	50	135x110	105x80	13.5x11	190	500	09P1F160B50BPHDX6020
160	50	135x110	105x80	13.5x11	200	500	09P1F/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	235	500	09P1F200B50BPHDX6020
200	50	135x110	105x80	13.5x11	245	600	09P1F/S200B50BPHDX6020

Swivel Castor With Total Lock




								Order number	
100	38	105x80	80x60	11x9	40	122	132	350	09P1TB100B38BPHDX4015
125	38	105x80	80x60	11x9	40	122	155	350	09P1TB125B38BPHDX
160	50	135x110	105x80	13.5x11	60	199	190	500	09P1TB160B50BPHDX6020
160	50	135x110	105x80	13.5x11	60	199	200	500	09P1TB/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	60	199	235	500	09P1TB200B50BPHDX6020
200	50	135x110	105x80	13.5x11	60	199	245	600	09P1TB/S200B50BPHDX6020

White Polyamide Castors

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: white injection polyamide, two ball bearings



-20 / +60°C
 4 KM/H
 270 - 600 KG
 132 - 245 MM

Swivel Castor With Bolt Hole



								Order number
100	38	105x80	80x60	11x9	40	132	270	09P1S100B38BPHDX4015
125	38	105x80	80x60	11x9	40	155	310	09P1S125B38BPHDX5015

Swivel Castor With Total Lock And Bolt Hole



								Order number	
100	38	105x80	80x60	11x9	40	122	132	270	09P1TB100B38BPHDX4015
125	38	105x80	80x60	11x9	40	122	155	310	09P1TB125B38BPHDX5015

Swivel Castor With Front Lock



								Order number	
160	50	135x110	105x80	13.5x11	52	154	190	500	09P1FB160B50BPHDX6020
160	50	135x110	105x80	13.5x11	52	154	200	500	09P1FB/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	154	235	500	09P1FB200B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	154	245	600	09P1FB/S200B50BPHDX6020

Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	52	190	500	09P1DB160B50BPHDX6020
160	50	135x110	105x80	13.5x11	52	200	500	09P1DB/S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	235	500	09P1DB200B50BPHDX6020
200	50	135x110	105x80	13.5x11	54	245	600	09P1DB/S200B50BPHDX6020



Institutional Castors



Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing
Wheel: grey polypropylene wheel centre dark grey shore a 85ththermoplastic rubber tread, plain bore



Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing
Wheel: grey polypropylene wheel centre dark grey shore a 85ththermoplastic rubber tread, plain bore



Swivel Castor



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1S75D28DTPPX3612	
75	28	105x80	80x60	16x8.5	30.5	103	75	18P1S/S75D28DTPPX3612	
100	32	77x67	55.7x46.5	16x8.5	40	137	100	18P1S100D32DTPPX3612	
100	32	105x80	80x60	16x8.5	40	137	100	18P1S/S100D32DTPPX3612	
125	32	77x67	55.7x46.5	16x8.5	43	162	100	18P1S125D32DTPPX3612	
125	32	105x80	80x60	16x8.5	43	162	100	18P1S/S125D32DTPPX3612	

Fixed Castor



								Order number
75	28	77x67	55.7x46.5	16x8.5	103	75	18P1F75D28DTPPX3612	
75	28	105x80	80x60	16x8.5	103	75	18P1F/S75D28DTPPX3612	
100	32	77x67	55.7x46.5	16x8.5	137	100	18P1F100D32DTPPX3612	
100	32	105x80	80x60	16x8.5	137	100	18P1F/S100D32DTPPX3612	
125	32	77x67	55.7x46.5	16x8.5	162	100	18P1F125D32DTPPX3612	
125	32	105x80	80x60	16x8.5	162	100	18P1F/S125D32DTPPX3612	

Swivel Castor With Total Lock



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPPX3612
75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPPX3612
100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPPX3612
100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPPX3612
125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPPX3612
125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPPX3612

Swivel Castor With Total Lock



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPPX3612
75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPPX3612
100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPPX3612
100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPPX3612
125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPPX3612
125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPPX3612

Swivel Castor With Bolt Hole



							Order number
75	28	30.5	φ10.3/φ13	100.5	75	18H1S75D28DTPPX3612	
100	32	40	φ10.3/φ13	134.5	100	18H1F100D32DTPPX3612	
125	32	43	φ10.3/φ13	159.5	100	18H1F125D32DTPPX3612	

Swivel Castor With Bolt Hole And Total Lock



								Order number
75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPPX3612	
100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPPX3612	
125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPPX3612	

Swivel Castor With Bolt Hole And Total Lock



								Order number
75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPPX3612	
100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPPX3612	
125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPPX3612	

Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing

Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, central ball bearing, grey plastic thread guards



Swivel Castor



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	103	75	18P1S75D28DTPBB378	
75	28	105x80	80x60	16x8.5	30.5	103	75	18P1S/S75D28DTPBB378	
100	32	77x67	55.7x46.5	16x8.5	40	137	100	18P1S100D32DTPBB378	
100	32	105x80	80x60	16x8.5	40	137	100	18P1S/S100D32DTPBB378	
125	32	77x67	55.7x46.5	16x8.5	43	162	100	18P1S125D32DTPBB378	
125	32	105x80	80x60	16x8.5	43	162	100	18P1S/S125D32DTPBB378	

Fixed Castor



								Order number
75	28	77x67	55.7x46.5	16x8.5	103	75	18P1F75D28DTPBB378	
75	28	105x80	80x60	16x8.5	103	75	18P1F/S75D28DTPBB378	
100	32	77x67	55.7x46.5	16x8.5	137	100	18P1F100D32DTPBB378	
100	32	105x80	80x60	16x8.5	137	100	18P1F/S100D32DTPBB378	
125	32	77x67	55.7x46.5	16x8.5	162	100	18P1F125D32DTPBB378	
125	32	105x80	80x60	16x8.5	162	100	18P1F/S125D32DTPBB378	

Swivel Castor With Total Lock



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPBB378
75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPBB378
100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPBB378
100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPBB378
125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPBB378
125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPBB378

Swivel Castor With Total Lock



									Order number
75	28	77x67	55.7x46.5	16x8.5	30.5	98.5	103	75	18P1TB75D28DTPBB378
75	28	105x80	80x60	16x8.5	30.5	98.5	103	75	18P1TB/S75D28DTPBB378
100	32	77x67	55.7x46.5	16x8.5	40	112	137	100	18P1TB100D32DTPBB378
100	32	105x80	80x60	16x8.5	40	112	137	100	18P1TB/S100D32DTPBB378
125	32	77x67	55.7x46.5	16x8.5	43	118	162	100	18P1TB125D32DTPBB378
125	32	105x80	80x60	16x8.5	43	118	162	100	18P1TB/S125D32DTPBB378

Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing

Wheel: grey polypropylene wheel centre dark grey shore a 85° thermoplastic rubber tread, central ball bearing, grey plastic thread guards



Swivel Castor With Bolt Hole



							Order number
75	28	30.5	φ10.3/φ13	100.5	75	18H1S75D28DTPBB378	
100	32	40	φ10.3/φ13	134.5	100	18H1S100D32DTPBB378	
125	32	43	φ10.3/φ13	159.5	100	18H1S125D32DTPBB378	

Swivel Castor With Bolt Hole And Total Lock



								Order number
75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPBB378	
100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPBB378	
125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPBB378	

Swivel Castor With Bolt Hole And Total Lock



								Order number
75	28	30.5	φ10.3/φ13	98.5	100.5	75	18H1TB75D28DTPBB378	
100	32	40	φ10.3/φ13	112	134.5	100	18H1TB100D32DTPBB378	
125	32	43	φ10.3/φ13	118	159.5	100	18H1TB125D32DTPBB378	

Grey Thermoplastic Rubber Institutional Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race and sealing

Wheel: grey polypropylene wheel centre dark grey shore a 85" thermoplastic rubber tread, plain bore, metal thread guards



-20 / +60°C
 4 KM/H
 75 - 100 KG
 97 - 139MM

Adjustable Swivel Castor



								Order number
75	28	96x90	77/55x70	10.2	30.5	97-106	75	18P1S/S75D28DTPPD3612
100	32	96x90	77/55x70	10.2	40	118-127	100	18P1S/S100D32DTPPD3612
125	32	96x90	77/55x70	10.2	43	130-139	100	18P1S/S125D32DTPPD3612

Adjustable Fixed Castor



							Order number
75	28	96x90	77/55x70	10.2	97-106	75	18P1F/S75D28DTPPD3612
100	32	96x90	77/55x70	10.2	118-127	100	18P1F/S100D32DTPPD3612
125	32	96x90	77/55x70	10.2	130-139	100	18P1F/S125D32DTPPD3612

Adjustable Swivel Castor With Total Lock



									Order number
75	28	96x90	77/55x70	10.2	30.5	100.5	97-106	75	18P1TB/S75D28DTPPD3612
100	32	96x90	77/55x70	10.2	40	113.5	118-127	100	18P1TB/S100D32DTPPD3612
125	32	96x90	77/55x70	10.2	43	120.5	130-139	100	18P1TB/S125D32DTPPD3612




Heavy Duty Industrial Castors



Blue Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 150 - 650 KG
 120 - 297MM

Swivel Castor



									Order number
80	36	105x80	80x60	11x9	40	120	150	03P1S80A36CEPDX4015	
100	36	105x80	80x60	11x9	40	130	200	03P1S100A36CEPDX4015	
125	50	135x110	105x80	13.5x11	50	178	250	03P1S125A50CEPDX6020	
150	50	135x110	105x80	13.5x11	53	210	350	03P1S150A50CEPDX6020	
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160A50CEPDX6020	
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200A50CEPDX6020	
250	50	135x110	105x80	13.5x11	67	297	650	03P1S250A50CEPDX6020	

Fixed Castor



								Order number
80	36	105x80	80x60	11x9	120	150	03P1F80A36CEPDX4015	
100	36	105x80	80x60	11x9	130	200	03P1F100A36CEPDX4015	
125	50	135x110	105x80	13.5x11	178	250	03P1F125A50CEPDX6020	
150	50	135x110	105x80	13.5x11	210	350	03P1F150A50CEPDX6020	
160	50	135x110	105x80	13.5x11	215	400	03P1F160A50CEPDX6020	
200	50	135x110	105x80	13.5x11	245	500	03P1F200A50CEPDX6020	
250	50	135x110	105x80	13.5x11	297	650	03P1F250A50CEPDX6020	

Swivel Castor With Total Lock




									Order number
80	36	105x80	80x60	11x9	40	120	120	150	03P1TB80A36CEPDX4015
100	36	105x80	80x60	11x9	40	120	130	200	03P1TB100A36CEPDX4015
125	50	135x110	105x80	13.5x11	50	162	178	250	03P1TB125A50CEPDX6020
150	50	135x110	105x80	13.5x11	53	162	210	350	03P1TB150A50CEPDX6020
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160A50CEPDX6020
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200A50CEPDX6020

Blue Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 250 - 650 KG
 177.5 - 297MM

Swivel Castor With Front Lock



										Order number
125	50	135x110	105x80	13.5x11	50	147	178	250	03P1FB125A50CEPDX6020	
150	50	135x110	105x80	13.5x11	53	147	210	350	03P1FB150A50CEPDX6020	
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160A50CEPDX6020	
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200A50CEPDX6020	
250	50	135x110	105x80	13.5x11	67	156	297	650	03P1FB250A50CEPDX6020	

Swivel Castor With Directional Lock



									Order number
125	50	135x110	105x80	13.5x11	50	178	250	03P1DB125A50CEPDX6020	
150	50	135x110	105x80	13.5x11	53	210	350	03P1DB150A50CEPDX6020	
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160A50CEPDX6020	
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200A50CEPDX6020	

Swivel Castor With Central Lock




										Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	250	03P1CB125A50CEPDX6020	
150	50	135x110	105x80	13.5x11	53	155.65	210	350	03P1CB150A50CEPDX6020	
160	50	135x110	105x80	13.5x11	53	155.65	215	400	03P1CB160A50CEPDX6020	
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200A50CEPDX6020	

Grey Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread two ball bearings, grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 300 - 400 KG
 215 - 245MM

Swivel Castor



								Order number
160	46	135x110	105x80	13.5x11	53	215	300	03P1S160D46DETD6212
200	46	135x110	105x80	13.5x11	55	245	400	03P1S200D46DETD6212

Fixed Castor



								Order number
160	46	135x110	105x80	13.5x11	215	300	03P1F160D46DETD6212	
200	46	135x110	105x80	13.5x11	245	400	03P1F200D46CETDA6212	

Swivel Castor With Total Lock




									Order number
160	46	135x110	105x80	13.5x11	53	162	215	300	03P1TB160D46DETD6212
200	46	135x110	105x80	13.5x11	55	162	245	400	03P1TB200D46DETD6212

Grey Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin

Wheel: grey polyamide wheel centre shore a 68+5 grey elastic rubber tread two ball bearings, grey samll plastic thread guards



-20 / +60°C
 4 KM/H
 300 - 400 KG
 215 - 255MM

Swivel Castor With Front Lock



									Order number
160	46	135x110	105x80	13.5x11	53	147	215	300	03P1FB160D46DETD6212
200	46	135x110	105x80	13.5x11	55	156	245	400	03P1FB200D46CETDA6212

Swivel Castor With Directional Lock



									Order number
160	46	135x110	105x80	13.5x11	53	215	300	03P1DB160D46DETD6212	
200	46	135x110	105x80	13.5x11	55	245	400	03P1DB200D46CETDA6212	

Swivel Castor With Central Lock




									Order number
160	46	135x110	105x80	13.5x11	53	155.65	215	300	03P1CB160D46DETD6212
200	46	135x110	105x80	13.5x11	55	155.65	255	400	03P1CB200D46CETDA6212

Black Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
hardened and sealed double ball race without central king pin
Wheel: silvery casting-aluminium wheel centre
shore a 68+5 black elastic rubber tread, two ball bearings



	-20 / +60°C		4 KM/H
	180 - 650 KG		120 - 297MM

Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	120	180	03P1S80C38JEADX4015
100	40	105x80	80x60	11x9	40	130	200	03P1S100C40JEADX4015
125	50	135x110	105x80	13.5x11	50	178	270	03P1S125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	210	350	03P1S150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200C50JEADX6020
250	50	135x110	105x80	13.5x11	67	297	650	03P1S250C50JEADX6020

Fixed Castor



							Order number
80	38	105x80	80x60	11x9	120	180	03P1F80C38JEADX4015
100	40	105x80	80x60	11x9	130	200	03P1F100C40JEADX4015
125	50	135x110	105x80	13.5x11	178	270	03P1F125C50JEADX6020
150	50	135x110	105x80	13.5x11	210	350	03P1F150C50JEADX6020
160	50	135x110	105x80	13.5x11	215	400	03P1F160C50JEADX6020
200	50	135x110	105x80	13.5x11	245	500	03P1F200C50JEADX6020
250	50	135x110	105x80	13.5x11	297	650	03P1F250C50JEADX6020

Swivel Castor With Total Lock




									Order number
80	38	105x80	80x60	11x9	40	120	120	180	03P1TB80C38JEADX4015
100	40	105x80	80x60	11x9	40	120	130	200	03P1TB100C40JEADX4015
125	50	135x110	105x80	13.5x11	50	162	178	270	03P1TB125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	162	210	350	03P1TB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200C50JEADX6020

Black Elastic Rubber Heavy Duty Industrial Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
hardened and sealed double ball race without central king pin
Wheel: silvery casting-aluminium wheel centre
shore a 68+5 black elastic rubber tread, two ball bearings



	-20 / +60°C		4 KM/H
	270 - 650 KG		177.5 - 297MM

Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	270	03P1FB125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	147	210	350	03P1FB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200C50JEADX6020
250	50	135x110	105x80	13.5x11	67	156	297	650	03P1FB250C50JEADX6020

Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	270	03P1DB125C50JEADX6020
150	50	135x110	105x80	13.5x11	54	210	350	03P1DB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200C50JEADX6020

Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	270	03P1CB125C50JEADX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	350	03P1CB150C50JEADX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	400	03P1CB160C50JEADX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200C50JEADX6020

Black Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: black welded pressed steel wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 400 - 500 KG
 215 - 245MM

Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200C50CESDX5620

Fixed Castor



							Order number
160	50	135x110	105x80	13.5x11	215	400	03P1F160C50CESDX5620
200	50	135x110	105x80	13.5x11	245	500	03P1F200C50CESDX5620

Swivel Castor With Total Lock




								Order number	
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200C50CESDX5620

Black Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: black welded pressed steel wheel centre shore a 68+5 black elastic rubber tread, two ball bearings



-20 / +60°C
 4 KM/H
 400 - 500 KG
 210 - 255MM

Swivel Castor With Front Lock



								Order number	
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200C50CESDX5620

Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200C50CESDX5620

Swivel Castor With Central Lock




								Order number	
160	50	135x110	105x80	13.5x11	53	155.65	215	400	031CB160C50CESDX5620
200	50	135x110	105x80	13.5x11	55	155.65	255	500	031CB200C50CESDX5620

Green Polyurethane Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: grey polyamide wheel centre shore a 92 green injection polyurethane tread, two ball bearings, green samll plastic thread guards



-20 / +60°C
 4 KM/H
 300 - 500 KG
 210 - 245MM

Swivel Castor



									Order number
150	40	135x110	105x80	13.5x11	53	210	300	03P1S150H40DUPDA6212	
160	40	135x110	105x80	13.5x11	53	215	350	03P1S160H40DUPDA6212	
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200H50DUPDA6212	

Fixed Castor



								Order number
150	40	135x110	105x80	13.5x11	210	300	03P1F150H40DUPDA6212	
160	40	135x110	105x80	13.5x11	215	350	03P1F160H40DUPDA6212	
200	50	135x110	105x80	13.5x11	245	500	03P1F200H50DUPDA6212	

Swivel Castor With Total Lock




									Order number
150	40	135x110	105x80	13.5x11	53	162	210	300	03P1TB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	162	215	350	03P1TB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200H50DUPDA6212

Injection Green Polyurethane Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: grey polyamide wheel centre shore a 92 green injection polyurethane tread, two ball bearings, green samll plastic thread guards



-20 / +60°C
 4 KM/H
 300 - 500 KG
 210 - 255MM

Swivel Castor With Front Lock



									Order number
150	40	135x110	105x80	13.5x11	53	147	210	300	03P1FB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	147	215	350	03P1FB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200H50DUPDA6212

Swivel Castor With Directional Lock



									Order number
150	40	135x110	105x80	13.5x11	54	210	300	03P1DB150H40DUPDA6212	
160	40	135x110	105x80	13.5x11	53	215	350	03P1DB160H40DUPDA6212	
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200H50DUPDA6212	

Swivel Castor With Central Lock




									Order number
150	40	135x110	105x80	13.5x11	53	155.65	210	300	03P1CB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	53	155.65	215	350	03P1CB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200H50DUPDA6212

Brown Polyurethane Heavy Duty Castors

Technical Information:

Housing: pressed steel fork,zinc-plated hardened and sealed double ball race without central king pin
Wheel: silvery casting-aluminium wheel centre shore a 92 brwon polyurethane tread, two ball bearings



	-20 / +60°C		4 KM/H
	180 - 800 KG		120 - 297MM

Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	120	180	03P1S80K38JUADX4015
100	38	105x80	80x60	11x9	40	130	200	03P1S100K38JUADX5015
125	50	135x110	105x80	13.5x11	50	178	450	03P1S125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	210	550	03P1S150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	215	600	03P1S160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1S200K50JUADX6020
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250K50JUADX7520

Fixed Castor



							Order number
80	38	105x80	80x60	11x9	120	180	03P1F80K38JUADX4015
100	38	105x80	80x60	11x9	130	200	03P1F100K38JUADX5015
125	50	135x110	105x80	13.5x11	178	450	00P1F125K50JUADX6020
150	50	135x110	105x80	13.5x11	210	550	03P1F150K50JUADX6020
160	50	135x110	105x80	13.5x11	215	600	03P1F160K50JUADX6020
200	50	135x110	105x80	13.5x11	245	800	03P1F200K50JUADX6020
250	50	135x110	105x80	13.5x11	297	800	03P1F250K50JUADX7520

Swivel Castor With Total Lock




								Order number	
80	38	105x80	80x60	11x9	40	120	120	180	03P1TB80K38JUADX4015
100	38	105x80	80x60	11x9	40	120	130	200	03P1TB100K38JUADX5015
125	50	135x110	105x80	13.5x11	50	162	178	450	03P1TB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	162	210	550	03P1TB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	162	215	600	03P1TB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200K50JUADX6020

Brown Polyurethane Heavy Duty Industrial Castors

Technical Information:

Housing: pressed steel fork,zinc-plated hardened and sealed double ball race without central king pin
Wheel: silvery casting-aluminium wheel centre shore a 92 brwon polyurethane tread, two ball bearings



	-20 / +60°C		4 KM/H
	450 - 800 KG		177.5 - 297MM

Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	450	03P1FB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	147	210	550	03P1FB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	147	215	600	03P1FB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200K50JUADX6020
250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250K50JUADX7520

Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	450	03P1DB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	210	550	03P1DB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	215	600	03P1DB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200K50JUADX6020

Swivel Castor With Central Lock




									Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	450	03P1CB125K50JUADX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	550	03P1CB150K50JUADX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	600	03P1CB160K50JUADX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200K50JUADX6020

Brown Polyurethane Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
hardened and sealed double ball race without central king pin
Wheel: black casting-iron wheel centre
shore a 92 brown polyurethane tread, two ball bearings



-20 / +60°C 4 KM/H
 300 - 800 KG 130 - 297MM

Swivel Castor



									Order number
100	38	105x80	80x60	11x9	40	130	300	03P1S100K38CUIDX4512	
125	50	135x110	105x80	13.5x11	50	178	450	03P1S125K50CUIDX6020	
150	50	135x110	105x80	13.5x11	53	210	800	03P1S150K50CUIDX6020	
160	50	135x110	105x80	13.5x11	53	215	800	03P1S160K50CUIDX6020	
200	50	135x110	105x80	13.5x11	55	245	800	03P1S200K50CUIDX6020	
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250K50CUIDX6025	

Fixed Castor



								Order number
100	38	105x80	80x60	11x9	130	300	03P1F100K38CUIDX4512	
125	50	135x110	105x80	13.5x11	178	450	03P1F125K50CUIDX6020	
150	50	135x110	105x80	13.5x11	210	800	03P1F150K50CUIDX6020	
160	50	135x110	105x80	13.5x11	215	800	03P1F160K50CUIDX6020	
200	50	135x110	105x80	13.5x11	245	800	03P1F200K50CUIDX6020	
250	50	135x110	105x80	13.5x11	297	800	03P1F250K50CUIDX6025	

Swivel Castor With Total Lock




										Order number
100	38	105x80	80x60	11x9	40	120	130	300	03P1TB100K38CUIDX4512	
125	50	135x110	105x80	13.5x11	50	162	178	450	03P1TB125K50CUIDX6020	
150	50	135x110	105x80	13.5x11	53	162	210	800	03P1TB150K50CUIDX6020	
160	50	135x110	105x80	13.5x11	53	162	215	800	03P1TB160K50CUIDX6020	
200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200K50CUIDX6020	

Brown Polyurethane Heavy Duty Industrial Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
hardened and sealed double ball race without central king pin
Wheel: black casting-iron wheel centre
92 shore a brown polyurethane tread, two ball bearings



-20 / +60°C 4 KM/H
 450 - 800 KG 178 - 297MM

Swivel Castor With Front Lock



										Order number
125	50	135x110	105x80	13.5x11	50	147	178	450	03P1FB125K50CUIDX6020	
150	50	135x110	105x80	13.5x11	53	147	210	800	03P1FB150K50CUIDX6020	
160	50	135x110	105x80	13.5x11	53	147	215	800	03P1FB160K50CUIDX6020	
200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200K50CUIDX6020	
250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250K50CUIDX6025	

Swivel Castor With Directional Lock



									Order number
125	50	135x110	105x80	13.5x11	50	178	450	03P1DB125K50CUIDX6020	
150	50	135x110	105x80	13.5x11	53	210	800	03P1DB150K50CUIDX6020	
160	50	135x110	105x80	13.5x11	53	215	800	03P1DB160K50CUIDX6020	
200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200K50CUIDX6020	

Swivel Castor With Central Lock




										Order number
125	50	135x110	105x80	13.5x11	50	155.65	178	450	03P1CB125K50CUIDX6020	
150	50	135x110	105x80	13.5x11	53	155.65	210	800	03P1CB150K50CUIDX6020	
160	50	135x110	105x80	13.5x11	53	155.65	215	800	03P1CB160K50CUIDX6020	
200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200K50CUIDX6020	

Green Elastic Polyurethane Heavy Duty Castors

Technical Information:

Housing: pressed steel fork,zinc-plated
hardened and sealed double ball race without central king pin
Wheel: silvery casting-aluminium wheel centre
shore a 85 green elastic polyurethane tread, two ball bearings



-20 / +60°C
 4 KM/H
 180 - 800 KG
 120 - 297MM

Swivel Castor



								Order number
80	38	105x80	80x60	11x9	40	120	180	03P1S80H38JUHADX4015
100	40	105x80	80x60	11X9	40	130	250	03P1S100H40JUHADX4015
125	50	135x110	105x80	13.5x11	50	178	400	03P1S125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	215	550	03P1S160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	245	700	03P1S200H50JUHADX6020
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250H50JUHADX6020

Fixed Castor



							Order number
80	38	105x80	80x60	11x9	120	180	03P1F80H38JUHADX4015
100	40	105x80	80x60	11X9	130	250	03P1F100H40JUHADX4015
125	50	135x110	105x80	13.5x11	178	400	03P1F125H50JUHADX6020
160	50	135x110	105x80	13.5x11	215	550	03P1F160H50JUHADX6020
200	50	135x110	105x80	13.5x11	245	700	03P1F200H50JUHADX6020
250	50	135x110	105x80	13.5x11	297	800	03P1F250H50JUHADX6020

Swivel Castor With Total Lock




								Order number	
80	38	105x80	80x60	11x9	40	120	120	180	03P1TB80H38JUHADX4015
100	40	105x80	80x60	11X9	40	120	130	250	03P1TB100H40JUHADX4015
125	50	135x110	105x80	13.5x11	50	162	178	400	03P1TB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	162	215	550	03P1TB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	162	245	700	03P1TB200H50JUHADX6020

Green Elastic Polyurethane Heavy Duty Industrial Castors

Technical Information:

Housing: pressed steel fork,zinc-plated
hardened and sealed double ball race without central king pin
Wheel: silvery casting-aluminium wheel centre
85 shore a green elastic polyurethane tread, two ball bearings



-20 / +60°C
 4 KM/H
 400 - 800 KG
 177.5 - 297MM

Swivel Castor With Front Lock



								Order number	
125	50	135x110	105x80	13.5x11	50	147	178	400	03P1FB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	147	215	550	03P1FB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	156	245	700	03P1FB200H50JUHADX6020
250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250H50JUHADX6020

Swivel Castor With Directional Lock



							Order number	
125	50	135x110	105x80	13.5x11	50	178	400	03P1DB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	215	550	03P1DB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	245	700	03P1DB200H50JUHADX6020

Swivel Castor With Central Lock




								Order number	
125	50	135x110	105x80	13.5x11	50	155.65	177.5	400	03P1CB125H50JUHADX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	550	03P1CB160H50JUHADX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	700	03P1CB200H50JUHADX6020

White Polyamide Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
hardened and sealed double ball race without central king pin
Wheel: white injection polyamide, two ball bearings



	-20 / +60°C		4 KM/H
	350 - 800 KG		130 - 245MM

Swivel Castor



								Order number
100	38	105x80	80x60	11x9	40	130	350	03P1S100B38BPHDX5015
125	50	135x110	105x80	13.5x11	50	178	700	03P1S125B50BPHDX6020
150	50	135x110	105x80	13.5x11	53	210	800	03P1S150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	215	800	03P1S160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1S200B50BPHDX6020

Fixed Castor



							Order number
100	38	105x80	80x60	11x9	130	350	03P1F100B38BPHDX5015
125	50	135x110	105x80	13.5x11	178	700	03P1F125B50BPHDX6020
150	50	135x110	105x80	13.5x11	210	800	03P1F150B50BPHDX6020
160	50	135x110	105x80	13.5x11	215	800	03P1F160B50BPHDX6020
200	50	135x110	105x80	13.5x11	245	800	03P1F200B50BPHDX6020

Swivel Castor With Total Lock




								Order number	
100	38	105x80	80x60	11x9	40	120	130	350	03P1TB100B38BPHDX
125	50	135x110	105x80	13.5x11	50	162	178	700	03P1TB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	53	162	210	800	03P1TB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	162	215	800	03P1TB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200B50BPHDX6020

White Polyamide Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
hardened and sealed double ball race without central king pin
Wheel: injection polyamide, two ball bearings



	-20 / +60°C		4 KM/H
	700 - 800 KG		177.5 - 255MM

Swivel Castor With Front Lock



								Order number	
125	50	135x110	105x80	13.5x11	50	147	178	700	03P1FB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	53	147	210	800	03P1FB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	147	215	800	01P1FB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200B50BPHDX6020

Swivel Castor With Directional Lock



								Order number
125	50	135x110	105x80	13.5x11	50	178	700	03P1DB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	54	210	800	03P1DB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	215	800	03P1DB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200B50BPHDX6020

Swivel Castor With Central Lock




								Order number	
125	50	135x110	105x80	13.5x11	50	155.65	177.5	700	03P1CB125B50BPHDX6020
150	50	135x110	105x80	13.5x11	53	155.65	210	800	03P1CB150B50BPHDX6020
160	50	135x110	105x80	13.5x11	53	155.65	215	800	03P1CB160B50BPHDX6020
200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200B50BPHDX6020

White Polyamide Heavy Duty Industrial Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
 hardened and sealed double ball race without central king pin
Wheel: white casting-polyamide, two ball bearings



-20 / +60°C 4 KM/H
 350 - 800 KG 120 - 297MM

Swivel Castor

Image	Icons								Order number
	80	100	125	150	160	200	250	KG	
	80	38	105x80	80x60	11x9	40	120	350	03P1S80B38BPCDX5015
	100	38	105x80	80x60	11x9	40	130	350	03P1S100B38BPCDX5015
	125	50	135x110	105x80	13.5x11	50	178	800	03P1S125B50BPCDX6020
	150	50	135x110	105x80	13.5x11	53	210	800	03P1S150B50BPCDX6020
	160	50	135x110	105x80	13.5x11	53	215	800	03P1S160B50BPCDX6020
	200	50	135x110	105x80	13.5x11	55	245	800	03P1S200B50BPCDX6020
250	50	135x110	105x80	13.5x11	67	297	800	03P1S250B50BPCDX7520	

Fixed Castor

Image	Icons								Order number
	80	100	125	150	160	200	250	KG	
	80	38	105x80	80x60	11x9	120	350	03P1F80B38BPCDX5015	
	100	38	105x80	80x60	11x9	130	350	03P1F100B38BPCDX5015	
	125	50	135x110	105x80	13.5x11	178	800	03P1F125B50BPCDX6020	
	150	50	135x110	105x80	13.5x11	210	800	03P1F150B50BPCDX6020	
	160	50	135x110	105x80	13.5x11	215	800	03P1F160B50BPCDX6020	
	200	50	135x110	105x80	13.5x11	245	800	03P1F200B50BPCDX6020	
250	50	135x110	105x80	13.5x11	297	800	03P1F250B50BPCDX7520		


Swivel Castor With Total Lock

Image	Icons										Order number
	80	100	125	150	160	200	KG				
	80	38	105x80	80x60	11x9	40	120	120	350	03P1TB80B38BPCDX5015	
	100	38	105x80	80x60	11x9	40	120	130	350	03P1TB100B38BPCDX5015	
	125	50	135x110	105x80	13.5x11	50	162	178	800	03P1TB125B50BPCDX6020	
	150	50	135x110	105x80	13.5x11	53	162	210	800	03P1TB150B50BPCDX6020	
	160	50	135x110	105x80	13.5x11	53	162	215	800	03P1TB160B50BPCDX6020	
	200	50	135x110	105x80	13.5x11	55	162	245	800	03P1TB200B50BPCDX6020	

White Casting-polyamide Heavy Duty Industrial Castors

Technical Information:

Housing: pressed steel fork, zinc-plated
 hardened and sealed double ball race without central king pin
Wheel: white casting-polyamide, two ball bearings



-20 / +60°C 4 KM/H
 800 KG 177.5 - 297MM

Swivel Castor With Front Lock

Image	Icons								Order number	
	125	150	160	200	250	KG				
	125	50	135x110	105x80	13.5x11	50	147	178	800	03P1FB125B50BPCDX6020
	150	50	135x110	105x80	13.5x11	53	147	210	800	03P1FB150B50BPCDX6020
	160	50	135x110	105x80	13.5x11	53	147	215	800	03P1FB160B50BPCDX6020
	200	50	135x110	105x80	13.5x11	55	156	245	800	03P1FB200B50BPCDX6020
	250	50	135x110	105x80	13.5x11	67	156	297	800	03P1FB250B50BPCDX7520

Swivel Castor With Directional Lock

Image	Icons								Order number
	125	150	160	200	KG				
	125	50	135x110	105x80	13.5x11	50	178	800	03P1DB125B50BPCDX6020
	150	50	135x110	105x80	13.5x11	54	210	800	03P1DB150B50BPCDX6020
	160	50	135x110	105x80	13.5x11	53	215	800	03P1DB160B50BPCDX6020
	200	50	135x110	105x80	13.5x11	55	245	800	03P1DB200B50BPCDX6020

Swivel Castor With Central Lock


Image	Icons										Order number
	125	150	160	200	KG						
	125	50	135x110	105x80	13.5x11	50	155.65	177.5	800	03P1CB125B50BPCDX6020	
	150	50	135x110	105x80	13.5x11	53	155.65	210	800	03P1CB150B50BPCDX6020	
	160	50	135x110	105x80	13.5x11	53	155.65	215	800	03P1CB160B50BPCDX6020	
	200	50	135x110	105x80	13.5x11	55	155.65	255	800	03P1CB200B50BPCDX6020	

Heavy Duty Industrial Castors

Grey Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: black polyamide wheel centre shore a 68+5 grey elastic rubber tread, two ball bearings



Temperature: -20 / +60°C
 Speed: 4 KM/H
 Weight: 150 - 650 KG
 Diameter: 120 - 297MM

Swivel Castor



								Order number
80	36	105x80	80x60	11x9	40	120	150	03P1S80D36CEPDX4015
100	36	105x80	80x60	11x9	40	130	200	03P1S100D36CEPDX4015
125	50	135x110	105x80	13.5x11	50	178	250	03P1S125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	210	350	03P1S150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	215	400	03P1S160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	245	500	03P1S200D50CEPDX6020
250	50	135x110	105x80	13.5x11	67	297	650	03P1S250D50CEPDX6020

Fixed Castor



								Order number
80	36	105x80	80x60	11x9	120	150	03P1F80D36CEPDX4015	
100	36	105x80	80x60	11x9	130	200	03P1F100D36CEPDX4015	
125	50	135x110	105x80	13.5x11	178	250	03P1F125D50CEPDX6020	
150	50	135x110	105x80	13.5x11	210	350	03P1F150D50CEPDX6020	
160	50	135x110	105x80	13.5x11	215	400	03P1F160D50CEPDX6020	
200	50	135x110	105x80	13.5x11	245	500	03P1F200D50CEPDX6020	
250	50	135x110	105x80	13.5x11	297	650	03P1F250D50CEPDX6020	

Swivel Castor With Total Lock




									Order number
80	36	105x80	80x60	11x9	40	120	120	150	03P1TB80D36CEPDX4015
100	36	105x80	80x60	11x9	40	120	130	200	03P1TB100D36CEPDX4015
125	50	135x110	105x80	13.5x11	50	162	178	250	03P1TB125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	162	210	350	03P1TB150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	162	215	400	03P1TB160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	162	245	500	03P1TB200D50CEPDX6020

Blue Elastic Rubber Heavy Duty Castors

Technical Information:

Housing: pressed steel fork, zinc-plated hardened and sealed double ball race without central king pin
Wheel: black polyamide wheel centre shore a 68+5 blue elastic rubber tread, two ball bearings



Temperature: -20 / +60°C
 Speed: 4 KM/H
 Weight: 250 - 650 KG
 Diameter: 177.5 - 297MM

Swivel Castor With Front Lock



									Order number
125	50	135x110	105x80	13.5x11	50	147	178	250	03P1FB125D50CEPDX6020
150	50	135x110	105x80	13.5x11	53	147	210	350	03P1FB150D50CEPDX6020
160	50	135x110	105x80	13.5x11	53	147	215	400	03P1FB160D50CEPDX6020
200	50	135x110	105x80	13.5x11	55	156	245	500	03P1FB200D50CEPDX6020
250	50	135x110	105x80	13.5x11	67	156	297	650	03P1FB250D50CEPDX6020

Swivel Castor With Directional Lock



									Order number
125	50	135x110	105x80	13.5x11	50	178	250	03P1DB125D50CEPDX6020	
150	50	135x110	105x80	13.5x11	53	210	350	03P1DB150D50CEPDX6020	
160	50	135x110	105x80	13.5x11	53	215	400	03P1DB160D50CEPDX6020	
200	50	135x110	105x80	13.5x11	55	245	500	03P1DB200D50CEPDX6020	

Swivel Castor With Central Lock



										Order number
125	50	135x110	105x80	13.5x11	50	155.65	177.5	250	03P1CB125D50CEPDX6020	
150	50	135x110	105x80	13.5x11	53	155.65	210	350	03P1CB150D50CEPDX6020	
160	50	135x110	105x80	13.5x11	53	155.65	215	400	03P1CB160D50CEPDX6020	
200	50	135x110	105x80	13.5x11	55	155.65	255	500	03P1CB200D50CEPDX6020	



Super heavy Duty Industrial Castors



Black Elastic Rubber Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: black welded pressed steel wheel centre 68+5 shore a black elastic rubber tread, two ball bearings



Swivel Castor



								Order number
160	50	135x110	105x80	13.5x11	57	205	350	23P1S160C50CESDX5620
200	50	135x110	105x80	13.5x11	65	245	450	23P1S200C50CESDX5620

Fixed Castor



								Order number
160	50	135x110	105x80	13.5x11	205	350	23P1F160C50CESDX5620	
200	50	135x110	105x80	13.5x11	245	450	23P1F200C50CESDX5620	

Swivel Castor With Front Lock



									Order number
160	50	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160C50CESDX5620
200	50	135x110	105x80	13.5x11	65	148.5	245	450	23P1FB200C50CESDX5620

Swivel Castor With Directional Lock



								Order number
160	50	135x110	105x80	13.5x11	57	205	350	23P1DB160C50CESDX5620
200	50	135x110	105x80	13.5x11	65	245	450	23P1DB200C50CESDX5620

Green Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: grey polyamide wheel centre shore a 92 green injection polyurethane tread two ball bearings, green samll plastic thread guards



Swivel Castor



								Order number
150	40	135x110	105x80	13.5x11	57	200	300	23P1S150H40DUPDA6212
160	40	135x110	105x80	13.5x11	57	205	350	23P1S160H40DUPDA6212
200	50	135x110	105x80	13.5x11	65	245	500	23P1S200H50DUPDA6212

Fixed Castor



								Order number
150	40	135x110	105x80	13.5x11	200	300	23P1F150H40DUPDA6212	
160	40	135x110	105x80	13.5x11	205	350	23P1F160H40DUPDA6212	
200	50	135x110	105x80	13.5x11	245	500	23P1F200H50DUPDA6212	

Swivel Castor With Front Lock



									Order number
150	40	135x110	105x80	13.5x11	57	148.5	200	300	23P1FB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	57	148.5	205	350	23P1FB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	65	148.5	245	500	23P1FB200H50DUPDA6212

Swivel Castor With Directional Lock



								Order number
150	40	135x110	105x80	13.5x11	57	200	300	23P1DB150H40DUPDA6212
160	40	135x110	105x80	13.5x11	57	205	350	23P1DB160H40DUPDA6212
200	50	135x110	105x80	13.5x11	65	245	500	23P1DB200H50DUPDA6212

Green Elastic Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: silvery casting-aluminium wheel centre shore a 85 green elastic polyurethane tread, two ball bearings



Swivel Castor

									Order number
	160	50	135x110	105x80	13.5x11	57	205	510	23P1S160H50JHUDX6020
	200	50	135x110	105x80	13.5x11	65	245	600	23P1S200H50JHUDX6020
	250	50	135x110	105x80	13.5x11	80	305	700	23P1S250H50JHUDX6020

Fixed Castor

								Order number
	160	50	135x110	105x80	13.5x11	205	510	23P1F160H50JHUDX6020
	200	50	135x110	105x80	13.5x11	245	600	23P1F200H50JHUDX6020
	250	50	135x110	105x80	13.5x11	305	700	23P1F250H50JHUDX6020

Swivel Castor With Front Lock

									Order number	
	160	50	135x110	105x80	13.5x11	57	148.5	205	510	23P1FB160H50JHUDX6020
	200	50	135x110	105x80	13.5x11	65	148.5	245	600	23P1FB200H50JHUDX6020
	250	50	135x110	105x80	13.5x11	80	148.5	305	700	23P1FB250H50JHUDX6020

Swivel Castor With Directional Lock

								Order number	
	160	50	135x110	105x80	13.5x11	57	205	510	23P1DB160H50JHUDX6020
	200	50	135x110	105x80	13.5x11	65	245	600	23P1DB200H50JHUDX6020
	250	50	135x110	105x80	13.5x11	80	305	700	23P1DB250H50JHUDX6020

Round Green Elastic Polyurethane Super Heavy Duty Castors

Technical Information:

Housing: swivel head with tapered roller bearing and axial ball bearing, welded steel fork
Wheel: silvery casting-aluminium wheel centre shore a 85 round green elastic polyurethane tread, two ball bearings



Swivel Castor

								Order number	
	160	50	135x110	105x80	13.5x11	57	205	510	23P1S160H50JURDX6020
	200	50	135x110	105x80	13.5x11	65	245	600	23P1S200H50JURDX6020

Fixed Castor

								Order number
	160	50	135x110	105x80	13.5x11	205	510	23P1F160H50JURDX6020
	200	50	135x110	105x80	13.5x11	245	600	23P1F200H50JURDX6020

Swivel Castor With Front Lock

									Order number	
	160	50	135x110	105x80	13.5x11	57	148.5	205	510	23P1FB160H50JURDX6020
	200	50	135x110	105x80	13.5x11	65	148.5	245	600	23P1FB200H50JURDX6020

Swivel Castor With Directional Lock

								Order number	
	160	50	135x110	105x80	13.5x11	57	205	510	23P1DB160H50JURDX6020
	200	50	135x110	105x80	13.5x11	65	245	600	23P1DB200H50JURDX6020

Pneumatic Rubber Castors




Castors Of Pneumatic Rubber Wheel

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head









Wheel: red polypropylene wheel centre, black pneumatic rubber tread, roller bearing



	-20 / +60°C		4 KM/H
	150 KG		295 MM

Swivel Castor



								Order number
260	80	175x175	140x140	φ14	70	295	150	08P1S260C80FPRRX7520










Fixed Castor



							Order number
260	80	230x125	190x75	φ14	295	150	08P1F260C80FPRRX7520

Swivel Castor With Total Lock




									Order number
260	80	175x175	140x140	φ14	70	157	295	150	08P1FB260C80FPRRX7520

Castors Of Pneumatic Rubber Wheel

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
 double ball race, sealed in the swivel head
Wheel: pressed steel wheel centre, pneumatic rubber tread,
 roller bearing



	-20 / +60°C		4 KM/H
	150 KG		295MM

Swivel Castor With Front Lock



									Order number
260	80	175x175	140x140	φ14	70	295	150	08P1S260C80JPSRX7520	

Swivel Castor With Directional Lock



								Order number
260	80	230x125	190x75	φ14	295	150	08P1F260C80JPSRX7520	

Swivel Castor With Central Lock




									Order number
260	80	175x175	140x140	φ14	70	157	295	150	08P1FB260C80JPSRX7520

Castors Of Polyurethane Wheel

Technical Information:

Housing: pressed steel swivel fork, zinc-plated
 double ball race, sealed in the swivel head
Wheel: red polyopylene wheel centre, yellow foam polyurethane tread,
 roller bearing



	-20 / +60°C		4 KM/H
	70 KG		295 MM

Swivel Castor



									Order number
260	80	175x175	140x140	φ14	70	295	70	08P1S260E80FPTRX7520	

Fixed Castor



									Order number
260	80	230x125	190x75	φ14	295	70	08P1F260E80FPTRX7520		

Swivel Castor With Total Lock




									Order number
260	80	175x175	140x140	φ14	70	157	295	70	08P1FB260E80FPTRX7520

Castors Of Polyurethane Wheel

Technical Information:

Housing: pressed steel swivel fork, zinc-plated double ball race, sealed in the swivel head
Wheel: pressed steel wheel centre, pneumatic rubber tread, roller bearing



	-20 / +60°C		4 KM/H
	70 KG		295 - 295MM

Swivel Castor With Front Lock



								Order number
260	80	175x175	140x140	φ14	70	295	70	08P1S260E80JPDRX7520

Swivel Castor With Directional Lock



							Order number
260	80	230x125	190x75	φ14	295	70	08P1F260E80JPDRX7520

Swivel Castor With Central Lock



									Order number
260	80	175x175	140x140	φ14	70	157	295	70	08P1FB260E80JPDRX7520



Supermarket Car Castors



Shopping Trolleys Castors


Technical Information:


Housing: pressed steel fork assembly, zinc-plated swivel head with double ball race

Wheel: (tpp series)dark grey shore a 85"thermoplastic rubber tread, plain bore, metal thread guards.

Wheel: (tpb series)dark grey shore a 85"thermoplastic rubber tread, central ball bearing, grey plastic thread guards







Wheel: (mcb series)dark grey shore a 80 solid rubber tread, grey polypropylene wheel centre, central ball bearing, grey plastic thread guards



	-20 / +60°C		4 KM/H
	100 KG		128 - 155MM







TPP Series



						Order number
100	32	36	φ10.5/φ13	128	100	16GH1S100D32DTPPD3612
125	32	36	φ10.5/φ13	155	100	16GH1S125D32DTPPD3612







TPB Series






						Order number
100	32	36	φ10.5/φ13	128	100	16GH1S100D32DTPBB378
125	32	36	φ10.5/φ13	155	100	16GH1S125D32DTPBB378

TPB Series



						Order number
100	32	36	φ10.5/φ13	128	100	16GH1S100D32DMCBB378
125	32	36	φ10.5/φ13	155	100	16GH1S125D32DMCBB378




						Order number
100	32	36	128	100	100	16GL1S100D32DMCBB378
125	32	36	155	100	100	16GL1S125D32DMCBB378

Shopping Trolleys Castors

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with precision ball bearing
Wheel: (tpp series)dark grey shore a 85"thermoplastic rubber tread, plain bore
Wheel: (tpb series)dark grey shore a 85"thermoplastic rubber tread, central ball bearing, grey plastic thread guards
Wheel: (mcb series)dark grey shore a 80 solid rubber tread, grey polypropylene wheel centre, entral ball bearing, grey plastic thread guards



TPP Series

							Order number
	125	32	39	φ10.5/φ13	157	100	16SH1S125D32DTPPX3612

TPB Series

							Order number
	125	32	39	φ10.5/φ13	157	100	16SH1S125D32DTPBB378

TPB Series

							Order number
	125	32	39	φ10.5/φ13	157	100	16SH1S125D32DMCBB378

Shopping Castors With Automatic Wheel Brake

Technical Information:

Housing: pressed steel fork assembly, zinc-plated swivel head with precision ball bearing
Wheel: dark grey injection polyurethane tread, grey polyamide wheel centre



TPP Series

							Order number
	125	32	38	φ10.5/φ13	153	*	16CH1WB125D32DMODD378 light
	125	32	38	φ10.5/φ13	153	*	16CH1WB125D32DMODD378 right

TPB Series

							Order number
	125	32	38	φ10.5/φ13	153	*	16WH1SB125D32DMTDD378

Shopping Castors with automatic wheel brake

Technical Information:

Housing: pressed steel fork assembly, zinc-plated welded swivel head with precision ball bearing
Wheel: dark grey injection polyurethane tread, grey polyamide wheel centre



TPB Series

							Order number
	125	32	38	φ10.5/φ13	153	*	16KH1SB125D32DMQDD378

***Load Capacity:**
 80KG Per Castor on Level and Securely attached floors
 40kG Per Castor on Walkways